

**TABLES**

Table 1  
 Summary of Previous Soil Investigations - Analytical Results for Metals  
 Facility Investigation Report  
 Baxter Court  
 West Francisco Boulevard  
 San Rafael, California

Boiling/ Sample Description	Date	Sample Depth (feet/bgs)	Antimony (m g/kg)	Arsenic (m g/kg)	Barium (m g/kg)	Cadmium (m g/kg)	Chromium (m g/kg)	Chromium (VI) (m g/kg)	Cobalt (m g/kg)	Copper (m g/kg)	Lead (m g/kg)	Mercury (m g/kg)	Molybdenum (m g/kg)	Nickel (m g/kg)	Selenium (m g/kg)	Silver (m g/kg)	Thallium (m g/kg)	Vanadium (m g/kg)	Zinc (m g/kg)
<b>1989 PES Investigation Samples</b>																			
SC070006	8/22/1989	0.0-0.5	-	-	-	-	-	-	-	-	21	-	-	-	-	-	-	-	330
SC120003	8/22/1989	0.0-0.3	-	-	-	-	-	-	-	-	120	-	-	-	-	-	-	-	340
SC150006	8/22/1989	0.0-0.5	-	-	-	-	-	-	-	-	160	-	-	-	-	-	-	-	320
SC170006	8/22/1989	0.0-0.5	-	-	-	-	-	-	-	-	460	-	-	-	-	-	-	-	330
SC170612	8/22/1989	0.5-1.0	-	-	-	-	-	-	-	-	-	-	-	230	-	-	-	-	-
SC180612A	8/22/1989	0.5-1.0	-	-	-	-	-	-	-	-	20	-	-	-	-	-	-	-	130
GR090006	8/22/1989	0.0-0.5	-	-	-	-	-	-	-	150	-	-	-	-	-	-	-	-	160
GR110006	8/22/1989	0.0-0.5	-	-	-	-	-	-	-	122	-	-	-	-	-	-	-	-	160
TP050006	8/22/1989	0.0-0.5	-	-	-	64	<1.0	-	-	157	250	-	-	180	-	-	-	-	520
TP060006	8/22/1989	0.0-0.5	-	-	-	140	<1.0	-	-	130	190	-	-	180	-	-	-	-	920
<b>1990 PES Soil Remediation and Verification Samples</b>																			
900502-9	5/2/1990	0.5-1.0	-	-	-	500	-	-	-	44	<40	-	-	600	-	-	-	-	270
900504-11A	5/4/1990	0.5-1.0	-	-	-	160	-	-	-	820	120	-	-	160	-	-	-	-	370
530-1	5/30/1990	1.0-1.5	-	-	-	470	-	-	-	820	<5.0	-	-	1300	-	-	-	-	330
530-2	5/30/1990	1.0-1.5	-	-	-	140	-	-	-	120	230	-	-	700	-	-	-	-	330
530-3	5/30/1990	1.0-1.5	-	-	-	160	-	-	-	120	97	-	-	280	-	-	-	-	2800
530-4	5/30/1990	1.0-1.5	-	-	-	700	-	-	-	220	190	-	-	340	-	-	-	-	1200
530-5	5/30/1990	2.0-2.5	-	-	-	370	-	-	-	140	230	-	-	390	-	-	-	-	450
530-7	5/30/1990	0.5-1.0	-	-	-	480	-	-	-	320	38	-	-	560	-	-	-	-	150
DD-1	8/2/1990	1.5-2.0	-	-	-	250	-	-	-	110	<10	-	-	370	-	-	-	-	89
DD-3	8/2/1990	1.5-2.0	-	-	-	120	-	-	-	82	<10	-	-	130	-	-	-	-	66
DD-4	8/2/1990	1.5-2.0	-	-	-	81	-	-	-	23	<10	-	-	58	-	-	-	-	63
AR1-2	8/2/1990	1.0-1.5	-	-	-	360	-	-	-	42	11	-	-	490	-	-	-	-	89
AR-6A	8/2/1990	4.0-4.5	-	-	-	58	-	-	-	110	6100	-	-	59	-	-	-	-	380
AR-6C	8/28/1990	4.0-4.5	-	-	-	-	-	-	-	160	-	-	-	-	-	-	-	-	-
AR-6D	8/28/1990	4.0-4.5	-	-	-	-	-	-	-	470	-	-	-	-	-	-	-	-	-
AR9-2	7/1/1990	1.0-1.5	-	-	-	460	-	-	-	690	490	-	-	2700	-	-	-	-	490
AR-9	8/2/1990	2.5-3.0	-	-	-	150	-	-	-	61	<10	-	-	270	-	-	-	-	71
AR-11	8/2/1990	2.5-3.0	-	-	-	220	-	-	-	1900	63	-	-	2300	-	-	-	-	590
<b>1998 - 1999 Caltrans Investigation Samples</b>																			
720-1	12/1/1998	Surface	<5.0	6.1	160	<2.5	390	-	31	35	7.3	<0.1	9.1	480	-	<5.0	-	62	65
720-1	12/1/1998	2	<5.0	<5.0	130	<2.5	380	-	32	34	5.7	0.24	7	500	-	<5.0	-	63	61
720-1	12/1/1998	3.3	<5.0	<5.0	21	<2.5	58	-	6.4	17	7.4	<0.1	6.9	40	-	<5.0	-	45	56
720-2	12/1/1998	Surface	<5.0	8.5	120	<2.5	260	-	26	39	29	<0.1	<5.0	320	-	<5.0	-	59	210
720-2	12/1/1998	2	<5.0	11	150	<2.5	180	-	23	32	9.6	0.14	8.9	280	-	<5.0	-	44	62
720-2	12/1/1998	3.3	<5.0	6.1	42	<2.5	51	-	6.4	17	<5.0	<0.1	7.4	44	-	<5.0	-	44	57
720-3	12/1/1998	Surface	<5.0	17	130	<2.5	350	-	36	52	7.2	<0.1	<5.0	480	-	<5.0	-	74	66
720-3	12/1/1998	2	<5.0	18	140	<2.5	360	-	36	52	7.2	<0.1	<5.0	480	-	<5.0	-	78	71
720-3	12/1/1998	3.3	<5.0	<5.0	110	<2.5	390	-	33	41	5.5	<0.1	8	480	-	<5.0	-	70	66

Table 1  
 Summary of Previous Soil Investigations - Analytical Results for Metals  
 Facility Investigation Report  
 Baxter Court  
 West Francisco Boulevard  
 San Rafael, California

Boiling/ Sample Designation	Date	Sample Depth (feet/bgs)	Antimony (m g/kg)	Arsenic (m g/kg)	Barium (m g/kg)	Cadmium (m g/kg)	Chromium (m g/kg)	Chromium (VI) (m g/kg)	Cobalt (m g/kg)	Copper (m g/kg)	Lead (m g/kg)	Mercury (m g/kg)	Molybdenum (m g/kg)	Nickel (m g/kg)	Selenium (m g/kg)	Silver (m g/kg)	Thallium (m g/kg)	Vanadium (m g/kg)	Zinc (m g/kg)
720-4	12/1/1998	Surface	<5.0	7.9	86	<2.5	24	—	7.1	16	17	0.27	<5.0	44	—	<5.0	—	24	47
720-4	12/1/1998	2	<5.0	12	130	<2.5	19	—	16	27	17	0.32	<5.0	32	—	<5.0	—	31	65
720-5	12/1/1998	3.3	<5.0	16	93	<2.5	210	—	25	42	13	<0.1	<5.0	280	—	<5.0	—	73	72
720-5	12/1/1998	Surface	<5.0	15	320	<2.5	230	—	29	55	82	<0.1	<5.0	320	—	11	—	49	100
720-5	12/1/1998	2	<5.0	17	220	<2.5	310	—	32	31	13	<0.1	<5.0	470	—	<5.0	—	51	60
720-5	12/1/1998	3.3	<5.0	15	120	<2.5	350	—	35	40	8.5	<0.1	<5.0	460	—	<5.0	—	67	71
720-6	12/1/1998	Surface	<5.0	8.6	190	<2.5	39	—	6	14	12	<0.1	9.4	—	—	<5.0	—	37	34
720-6	12/1/1998	2	<5.0	12	150	<2.5	69	—	11	25	58	<0.1	11	190	—	<5.0	—	29	90
720-6	12/1/1998	3.3	<5.0	12	36	<2.5	32	—	9	15	7.1	0.1	10	36	—	<5.0	—	29	39
720-7-1	10/7/1999	1	<5.0	16	35	<2.5	430	—	32	30	26	<0.1	<5.0	530	—	<5.0	66	64	
720-7-2	10/7/1999	2	<5.0	<5.0	260	<2.5	25	—	6.6	73	20	0.11	<5.0	47	—	<5.0	<10.0	22	44
720-7-4	10/7/1999	4	<5.0	21	<5.0	<2.5	51	—	5.3	13	14	<0.1	<5.0	30	—	<5.0	12	42	40
720-7-6	10/7/1999	6	21	<5.0	13	<2.5	36	—	19	15	17	<0.1	7.4	64	—	<5.0	12	33	79
720-8-1	10/7/1999	1	34	<5.0	86	<2.5	340	—	32	39	25	<0.1	<5.0	450	—	<5.0	<10.0	60	63
720-8-2	10/7/1999	2	20	<5.0	24	<2.5	49	—	6.1	16	17	<0.1	5.8	40	—	<5.0	20	40	47
720-8-4	10/7/1999	4	21	<5.0	49	<2.5	52	—	7.8	16	20	<0.1	6.8	66	—	<5.0	18	44	52
720-8-6	10/7/1999	6	18	<5.0	20	<2.5	46	—	7.9	19	17	<0.1	<5.0	47	—	<5.0	16	34	49
720-9-1	10/7/1999	1	36	<5.0	120	<2.5	250	—	35	49	33	<0.1	<5.0	320	11	<5.0	<10.0	91	85
720-9-2	10/7/1999	2	27	<5.0	84	<2.5	380	—	32	39	29	<0.1	<5.0	470	10	<5.0	52	69	68
720-9-4	10/7/1999	4	17	6.8	18	<2.5	45	—	25	22	21	<0.1	<5.0	98	<10.0	<5.0	14	33	81
720-9-6	10/7/1999	6	17	<5.0	17	<2.5	43	—	12	17	17	<0.1	<5.0	61	<10.0	<5.0	17	33	58
720-10-1	10/7/1999	1	<5.0	8.5	190	<2.5	13	—	6.8	14	26	1.1	<5.0	20	<10.0	<5.0	<10.0	19	58
720-10-2	10/7/1999	2	<5.0	11	130	<2.5	17	—	14	21	28	0.15	<5.0	25	<10.0	<5.0	21	27	64
720-10-4	10/7/1999	4	<5.0	<5.0	9	<2.5	<2.5	—	<2.5	<2.5	<5.0	0.23	<5.0	<5.0	<10.0	<5.0	<10.0	<5.0	<5.0
720-10-6	10/7/1999	6	<5.0	12	66	<2.5	61	—	12	26	32	0.11	<5.0	140	<10.0	<5.0	13	32	53
694-3	12/1/1998	Surface	<5.0	19	130	15	57	—	14	32	16	<0.1	<5.0	63	—	<5.0	—	42	90
694-3	12/1/1998	2	<5.0	19	87	200	6.8	—	14	96	19	<0.1	<5.0	140	—	<5.0	—	32	1,000
694-3	12/1/1998	3.3	<5.0	20	92	160	340	—	15	180	29	<0.1	<5.0	170	—	<5.0	—	37	820
694-3	12/1/1998	4.9	—	—	—	<2.5	—	—	—	—	—	—	—	8.1	—	—	—	—	—
694-4	12/1/1998	Surface	<5.0	6.9	130	<2.5	85	—	14	47	92	0.14	<5.0	120	—	<5.0	—	41	140
694-4	12/1/1998	2	<5.0	<5.0	700	17	83	—	11	64	25	<0.1	6.5	120	—	<5.0	—	17	230
694-4	12/1/1998	3.3	<5.0	6.9	200	<2.5	150	—	15	33	15	0.2	<5.0	150	—	<5.0	—	36	56
694-5	12/1/1998	Surface	—	—	—	—	—	—	—	—	40	—	—	—	—	—	—	—	—
694-5	12/1/1998	2	—	—	—	25	—	—	—	—	79	—	—	—	—	—	—	—	—
694-5	12/1/1998	3.3	—	—	—	56	—	—	—	—	88	—	—	—	—	—	—	—	—
694-5	12/1/1998	4.9	—	—	—	26	—	—	—	—	30	—	—	—	—	—	—	—	—
694-6	12/1/1998	Surface	—	—	—	<2.5	—	—	—	—	20	—	—	—	—	—	—	—	—
694-6	12/1/1998	2	—	—	—	<2.5	—	—	—	—	16	—	—	—	—	—	—	—	—
694-6	12/1/1998	3.3	—	—	—	<2.5	—	—	—	—	15	—	—	—	—	—	—	—	—
694-6	12/1/1998	4.9	—	—	—	<2.5	—	—	—	—	10	—	—	—	—	—	—	—	—
694-7	12/1/1998	Surface	—	—	—	<2.5	—	—	—	—	6.9	—	—	—	—	—	—	—	—
694-7	12/1/1998	2	—	—	—	<2.5	—	—	—	—	7.2	—	—	—	—	—	—	—	—
694-7	12/1/1998	3.3	—	—	—	<2.5	—	—	—	—	12	—	—	—	—	—	—	—	—
694-7	12/1/1998	4.9	—	—	—	<2.5	—	—	—	—	7	—	—	—	—	—	—	—	—

NOTES  
 <5.0 : Not detected at or above the respective laboratory detection limit  
 — : Not analyzed  
 m g/kg : Milligram per kilogram  
 bgs : Below ground surface  
 Samples in italicized text were reanalyzed on an area where further excavation took place

Table 2  
 Summary of Previous Soil Investigations - Analytical Results for Non-Metals  
 Facility Investigation Report  
 Baxter Court  
 West Francisco Boulevard  
 San Rafael, California

Boring/ Sample Designation	Date	Sample Depth (feet/bgs)	TOG (mg/kg)	TPHg (mg/kg)	TPHd (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl- benzene (mg/kg)	Xylenes (mg/kg)	MTBE (mg/kg)	Other VOCs (mg/kg)
<u>1989 PES Investigation Samples</u>											
SC070006	8/22/1989	0.0-0.5	<50	—	—	—	—	—	—	—	—
SC181218A	8/22/1989	1.0-1.5	—	—	—	—	—	—	—	—	TCE d7
GR081217	8/22/1989	1.0-1.5	—	—	—	—	—	—	—	—	1,2-DCE d.027
TP050006	8/22/1989	0.0-0.5	570	—	—	—	—	—	—	—	ND
TP060006	8/22/1989	0.0-0.5	280	—	—	—	—	—	—	—	—
<u>1998 - 1999 CalTrans Investigation Samples</u>											
720-1	12/1/1998	Surface	—	1.9	2,000	<0.005	<0.005	0.091	0.44	<0.005	—
720-1	12/1/1998	2	—	<0.5	27	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-1	12/1/1998	3.3	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-2	12/1/1998	Surface	—	<0.5	250	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-2	12/1/1998	2	—	<0.5	14	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-2	12/1/1998	3.3	—	2.7	<10	<0.005	<0.005	0.018	0.021	<0.005	—
720-3	12/1/1998	Surface	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	0.006	—
720-3	12/1/1998	2	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-3	12/1/1998	3.3	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-4	12/1/1998	Surface	—	<0.5	780	<0.005	<0.005	<0.005	0.024	<0.005	—
720-4	12/1/1998	2	—	<0.5	41	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-4	12/1/1998	3.3	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-5	12/1/1998	Surface	—	0.71	420	<0.005	<0.005	<0.005	0.034	<0.005	—
720-5	12/1/1998	2	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-5	12/1/1998	3.3	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-6	12/1/1998	Surface	—	<0.5	110	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-6	12/1/1998	2	—	<0.5	82	<0.005	<0.005	<0.005	<0.015	<0.005	—
720-6	12/1/1998	3.3	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	0.011	—
720-7-1	10/7/1999	1	—	<0.5	10	—	—	—	—	—	—
720-7-2	10/7/1999	2	—	<0.5	<10	—	—	—	—	—	—
720-7-4	10/7/1999	4	—	<0.5	<10	—	—	—	—	—	—
720-7-6	10/7/1999	6	—	<0.5	<10	—	—	—	—	—	—
720-8-1	10/7/1999	1	—	<0.5	12	—	—	—	—	—	—
720-8-2	10/7/1999	2	—	<0.5	18	—	—	—	—	—	—
720-8-4	10/7/1999	4	—	<0.5	19	—	—	—	—	—	—
720-8-6	10/7/1999	6	—	<0.5	<10	—	—	—	—	—	—
720-9	10/7/1999	1	—	<0.5	14	—	—	—	—	—	—
720-9	10/7/1999	2	—	0.66	120	—	—	—	—	—	—
720-9	10/7/1999	4	—	0.53	<10	—	—	—	—	—	—
720-9	10/7/1999	6	—	0.51	10	—	—	—	—	—	—
720-10	10/7/1999	1	—	<0.5	530	—	—	—	—	—	—
720-10	10/7/1999	2	—	0.55	15	—	—	—	—	—	—
720-10	10/7/1999	4	—	1.3	18	—	—	—	—	—	—
720-10	10/7/1999	6	—	4.8	10	—	—	—	—	—	—
694-3	12/1/1998	Surface	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
694-3	12/1/1998	2	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
694-3	12/1/1998	3.3	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
694-4	12/1/1998	Surface	—	<0.5	49	<0.005	<0.005	<0.005	<0.015	<0.005	—
694-4	12/1/1998	2	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
694-4	12/1/1998	3.3	—	<0.5	<10	<0.005	<0.005	<0.005	<0.015	<0.005	—
694-5-1	10/7/1999	1	—	<0.5	<10	—	—	—	—	—	—
694-5-2	10/7/1999	2	—	<0.5	<10	—	—	—	—	—	—
694-5-4	10/7/1999	4	—	<0.5	<10	—	—	—	—	—	—
694-5-6	10/7/1999	6	—	<0.5	11	—	—	—	—	—	—
694-6-1	10/7/1999	1	—	<0.5	14	—	—	—	—	—	—
694-6-2	10/7/1999	2	—	<0.5	20	—	—	—	—	—	—

Table 2  
 Summary of Previous Soil Investigations - Analytical Results for Non-Metals  
 Facility Investigation Report  
 Baxter Court  
 West Francisco Boulevard  
 San Rafael, California

Boring/ Sample Designation	Date	Sample Depth (feet/bgs)	TOG (m g/kg)	TPHg (m g/kg)	TPHd (m g/kg)	Benzene (m g/kg)	Toluene (m g/kg)	Ethyl- benzene (m g/kg)	Xylenes (m g/kg)	MTBE (m g/kg)	Other VOCs (m g/kg)
694-6-4	10/7/1999	4	—	<0.5	20	—	—	—	—	—	—
694-6-6	10/7/1999	6	—	<0.5	16	—	—	—	—	—	—
694-7-1	10/7/1999	1	—	<0.5	11	—	—	—	—	—	—
694-7-2	10/7/1999	2	—	<0.5	15	—	—	—	—	—	—
694-7-4	10/7/1999	4	—	<0.5	<10	—	—	—	—	—	—
694-7-6	10/7/1999	6	—	<0.5	<10	—	—	—	—	—	—

Notes

<0.5 : Not detected at or above the respective laboratory detection limit  
 — : Not analyzed  
 m g/kg : Milligrams per kilogram  
 TOG : Total Oil and Grease  
 TPHg : Total Petroleum Hydrocarbons quantified as gasoline  
 TPHd : Total Petroleum Hydrocarbons quantified as diesel  
 MTBE : Methyl Tertiary Butyl Ether  
 VOCs : Volatile Organic Compounds  
 DCP : 1,2-Dichloropropane  
 1,2-DCE : Cis-1,2-Dichloroethylene  
 TCE : Trichloroethylene  
 AST : Aboveground storage tank  
 ND : Compound(s) not detected above laboratory reporting limit(s).

Table 3  
**Summary of Previous Groundwater Investigations – Analytical Results for Metals**  
 Facility Investigation Report  
 Baxter Court  
 West Francisco Boulevard  
 San Rafael, California

Boring/ Sample Designation	Date	Barium (mg/L)	Chromium (mg/L)	Chromium (VI) (mg/L)	Copper (mg/L)	Nickel (mg/L)	Zinc (mg/L)
<u>1998 - 1999 Caltrans Investigation Samples</u>							
720-1GW	12/1/1998	0.19	0.067	—	<0.05	<0.10	0.61
720-3GW	12/1/1998	0.72	<0.05	—	<0.05	<0.10	<0.10
720-6GW	12/1/1998	0.73	<0.05	—	<0.05	<0.10	<0.10
W 720-7	10/7/1999	1	<0.05	—	0.078	<0.10	0.41
W 720-8	10/7/1999	0.64	<0.05	—	<0.05	<0.10	0.14
W 720-9	10/7/1999	0.18	<0.05	—	<0.05	<0.10	<0.10
W 720-10	10/7/1999	0.56	<0.05	—	0.059	<0.10	0.37
694-4GW	12/1/1998	<0.10	<0.05	—	<0.05	<0.10	<0.10
W 694-5	10/7/1999	0.13	<0.05	—	<0.05	<0.10	<0.10
W 694-6	10/7/1999	0.34	<0.05	—	<0.05	<0.10	<0.10
W 694-7	10/7/1999	0.13	<0.05	—	<0.05	<0.10	<0.10

mg/L : Milligrams per liter

— : Not analyzed

<0.05 : Not detected at or above the respective laboratory detection limit

Table 4  
**Summary of Previous Groundwater Investigations – Analytical Results for Non-Metals**  
 Facility Investigation Report  
 Baxter Court  
 West Francisco Boulevard  
 San Rafael, California

Boring/ Sample Designation	Date	Benzene (µg/L)	Ethyl- benzene (µg/L)	M TBE (µg/L)	Toluene (µg/L)	1,2,4 TMB (µg/L)	1,3,5 TMB (µg/L)	Xylenes (µg/L)	Chloroform (µg/L)	p-PT (µg/L)	VOC (µg/L)
<b>1998 - 1999 CaTrans Investigation Samples</b>											
720-1GW	12/1/1998	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	8	<0.5	<0.5	ND
720-3GW	12/1/1998	<0.5	3	17	<0.5	<0.5	<0.5	20	<0.5	<0.5	ND
720-6GW	12/1/1998	21	2	260	<0.5	<0.5	<0.5	9	<0.5	<0.5	ND
W 720-7	10/7/1999	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	ND
W 720-8	10/7/1999	<0.5	<0.5	4.7	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	ND
W 720-9	10/7/1999	<0.5	<0.5	40	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	ND
W 720-10	10/7/1999	0.9	0.6	68	3.6	1	0.6	2.7	0.6	<0.5	ND
694-1GW	12/1/1998	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	ND
694-4GW	12/1/1998	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	0.6 Naphthalene
W 694-5	10/7/1999	<0.5	<0.5	1.4	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	ND
W 694-6	10/7/1999	<0.5	<0.5	1.6	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	ND
W 694-7	10/7/1999	<0.5	<0.5	1	<0.5	<0.5	<0.5	<1.5	<0.5	<0.5	ND

**Notes**

<0.5 : Not detected at or above the respective laboratory detection limit

M TBE : MethylTertiary ButylEther

1,2,4 TMB : 1,2,4 Trimethylbenzene

1,3,5 TMB : 1,3,5 Trimethylbenzene

ND : Not detected

µg/L : micrograms per liter

Table 5  
 Summary of Soil Sampling and Analysis Program  
 Facility Investigation Report  
 Baxter Court and Thomas Properties  
 West Francisco Boulevard  
 San Rafael, California

Boring/Sample Location ID	Location and Sampling Rationale	Soil Sample Depth (ft)	Analytical Parameters	Duplicate
<u>Specification Chrome Plating Shop Footprint</u>				
06SC-01	Assessment of Subsurface Soil Conditions Beneath Fixed Treatment Unit/Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06SC-02	Assessment of Subsurface Soil Conditions Beneath Fixed Treatment Unit/Closure Confirmation	0-1 <sup>(1)</sup> , 5	VOCs, TPHg, TPHd, Metals, pH	--
06SC-03	Assessment of Subsurface Soil Conditions Beneath Anodize Plating Area/Closure Confirmation	0-1 <sup>(1)</sup> , 5	Metals, pH	--
06SC-04	Assessment of Subsurface Soil Conditions in the Vicinity of the former AST/Closure Confirmation	0-1 <sup>(1)</sup> , 5	VOCs	--
06SC-05	Assessment of Subsurface Soil Conditions in the Vicinity of the former AST/Closure Confirmation	0-1 <sup>(1)</sup>	VOCs	--
06SC-06	Assessment of Subsurface Soil Conditions in the Vicinity of the former AST/Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06SC-07	Assessment of Subsurface Soil Conditions Beneath Anodize Plating Area/Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	06SC-23
06SC-08	Assessment of Subsurface Soil Conditions Beneath Anodize Plating Area/Closure Confirmation	0-1 <sup>(1)</sup> , 5	VOCs, TPHg, TPHd, Metals, pH	--
06SC-09	Assessment of Subsurface Soil Conditions Beneath Anodize Plating Area/Closure Confirmation	0-1 <sup>(1)</sup> , 5	Metals, pH	--
06SC-10	Assessment of Subsurface Soil Conditions Beneath Fixed Treatment Unit/Closure Confirmation	0-1 <sup>(1)</sup> , 5	VOCs, TPHg, TPHd, Metals, pH	--
06SC-11	Assessment of Subsurface Soil Conditions Beneath Anodize Plating Area/Closure Confirmation	0-1 <sup>(1)</sup>	Metals, Cyanide, pH	--
06SC-12	Assessment of Subsurface Soil Conditions Beneath Area G3/Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06SC-13	Assessment of Subsurface Soil Conditions Beneath Area G3/Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06SC-14	Assessment of Subsurface Soil Conditions Beneath Zinc Plating Area/Closure Confirmation	0-1 <sup>(1)</sup> , 5	Metals, Cyanide, pH	--
06SC-15	Assessment of Subsurface Soil Conditions Beneath Zinc Plating Area/Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, Cyanide, pH	--
06SC-16	Assessment of Subsurface Soil Conditions Beneath Zinc Plating Area/Closure Confirmation	0-1 <sup>(1)</sup> , 5	Metals, Cyanide, pH	--
06SC-17	Assessment of Subsurface Soil Conditions Beneath Zinc Plating Area/Closure Confirmation	0-1 <sup>(1)</sup> , 5	Metals, Cyanide, pH	--
06SC-18	Assessment of Subsurface Soil Conditions Beneath Zinc Plating Area/Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, Cyanide, pH	06SC-24
06SC-19	Assessment of Subsurface Soil Conditions Beneath Nickel Plating Area/Closure Confirmation	0-1 <sup>(1)</sup> , 5	Metals, pH	--
06SC-20	Assessment of Subsurface Soil Conditions Beneath Nickel Plating Area/Closure Confirmation	0-1 <sup>(1)</sup> , 5	VOCs, TPHg, TPHd, Metals, pH	--
06SC-21	Assessment of Subsurface Soil Conditions Beneath Nickel Plating Area/Closure Confirmation	0-1 <sup>(1)</sup>	Metals, pH	--
06SC-22	Assessment of Subsurface Soil Conditions Beneath Nickel Plating Area/Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--



Table 5  
 Summary of Soil Sampling and Analysis Program  
 Facility Investigation Report  
 Baxter Court and Thomas Properties  
 West Francisco Boulevard  
 San Rafael, California

Boring/Sample Location ID	Location and Sampling Rationale	Soil Sample Depth (ft)	Analytical Parameters	Duplicate
06SC-23	Duplicate of 06SC-07	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	n/a
06SC-24	Duplicate of 06SC-18	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, Cyanide, pH	n/a
<u>Quality Chrome Plating Shop Footprint</u>				
06QC-01	Assessment of Subsurface Soil Conditions Beneath Plating Area/ Closure Confirmation	0-1 <sup>(1)</sup> , 5	Metals and pH	--
06QC-02	Assessment of Subsurface Soil Conditions Beneath Plating Area/ Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06QC-03	Assessment of Subsurface Soil Conditions Beneath Plating Area/ Closure Confirmation	0-1 <sup>(1)</sup> , 5	Metals and pH	--
06QC-04	Assessment of Subsurface Soil Conditions Beneath Plating Area/ Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	06QC-13
06QC-05	Assessment of Subsurface Soil Conditions Beneath Plating Area/ Closure Confirmation	0-1 <sup>(1)</sup> , 5	Metals and pH	--
06QC-06	Assessment of Subsurface Soil Conditions Beneath Plating Area/ Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06QC-07	Assessment of Subsurface Soil Conditions Beneath Plating Area/ Closure Confirmation	0-1 <sup>(1)</sup>	Metals and pH	--
06QC-08	Assessment of Subsurface Soil Conditions Beneath Plating Area/ Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06QC-09	Former Fixed Treatment Unit Area/ Closure Confirmation	0-1 <sup>(1)</sup> , 5	VOCs, TPHg, TPHd, Metals, pH	--
06QC-10	Assessment of Subsurface Soil Conditions Beneath Former Fixed Treatment Unit Area/ Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06QC-11	Assessment of Subsurface Soil Conditions Beneath Former Fixed Treatment Unit Area/ Closure Confirmation	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06QC-12	Assessment of Subsurface Soil Conditions Beneath Former Fixed Treatment Unit Area/ Closure Confirmation	0-1 <sup>(1)</sup> , 5	VOCs, TPHg, TPHd, Metals, pH	--
06QC-13	Duplicate of 06QC-04	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	n/a
<u>Former San Rafael Plating Shop Footprint</u>				
06SR-01	Assessment of Subsurface Soil Conditions Beneath Former Plating Shop	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	06SR-06
06SR-02	Assessment of Subsurface Soil Conditions Beneath Former Plating Shop	0-1 <sup>(1)</sup> , 5	VOCs, TPHg, TPHd, Metals, pH	--
06SR-03	Assessment of Subsurface Soil Conditions Beneath Former Plating Shop	0-1 <sup>(1)</sup> , 5	VOCs, TPHg, TPHd, Metals, pH	--
06SR-04	Assessment of Subsurface Soil Conditions Beneath Former Plating Shop	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	--
06SR-05	Assessment of Subsurface Soil Conditions Beneath Former Plating Shop	0-1 <sup>(1)</sup> , 5	VOCs, TPHg, TPHd, Metals, pH	--
06SR-06	Duplicate of 06QC-01	0-1 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals, pH	n/a
<u>Former Underground Storage Tank Location</u>				
06UST-01	Assessment of Subsurface Conditions in Former UST Location	3-4 <sup>(2)</sup>	VOCs, TPHg, TPHd	--
<u>Thomas Property Sampling Locations</u>				
06TP-01	Assessment of Near-Surface Soil Conditions Adjacent to Specification Chrome in Area of Prior Soil Remediation Action	0-1 <sup>(1)</sup> , 5	Metals, Cyanide	06TP-09
06TP-02	Assessment of Near-Surface Soil Conditions Adjacent to Specification Chrome in Area of Prior Soil Remediation Action	0-1 <sup>(1)</sup> , 5	Metals, Cyanide	--

Table 5  
 Summary of Soil Sampling and Analysis Program  
 Facility Investigation Report  
 Baxter Court and Thomas Properties  
 West Francisco Boulevard  
 San Rafael, California

Boring/Sample Location ID	Location and Sampling Rationale	Soil Sample Depth (ft)	Analytical Parameters	Duplicate
06TP-03	Assessment of Near-Surface Soil Conditions Adjacent to Specification Chrome in Area of Prior Soil Remediation Action	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-04	Assessment of Near-Surface Soil Conditions Adjacent to Specification Chrome in Area of Prior Soil Remediation Action	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-05	Assessment of Near-Surface Soil Conditions Adjacent to Specification Chrome in Area of Prior Soil Remediation Action	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-06	Assessment of Near-Surface Soil Conditions Adjacent to Specification Chrome in Area of Prior Soil Remediation Action	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-07	Assessment of Near-Surface Soil Conditions Adjacent to Specification Chrome in Area of Prior Soil Remediation Action	0-1	Metals	--
06TP-08	Assessment of Near-Surface Soil Conditions Adjacent to Specification Chrome in Area of Prior Soil Remediation Action	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-09	Duplicate of 06TP-01	0-1	Metals	n/a
06TP-10	Resampling of TP5	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-11	Assessment of Near-Surface Soil Conditions Adjacent to TP5	0-1	Metals	--
06TP-12	Assessment of Near-Surface Soil Conditions Adjacent to TP5	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-13	Assessment of Near-Surface Soil Conditions Adjacent to TP5	0-1	Metals	--
06TP-14	Resampling of TP6	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-15	Assessment of Near-Surface Soil Conditions Adjacent to TP6	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-16	Assessment of Near-Surface Soil Conditions Adjacent to TP6	0-1	Metals	--
06TP-17	Assessment of Near-Surface Soil Conditions Adjacent to TP6	0-1	Metals	--
06TP-18	Resampling of 694-4	0-1 <sup>(1)</sup> , 5	Metals	06TP-23
06TP-19	Assessment of Near-Surface Soil Conditions Adjacent to 694-4	0-1 <sup>(1)</sup> , 5	Metals	--
06TP-20	Assessment of Near-Surface Soil Conditions Adjacent to 694-4	0-1	Metals	--
06TP-21	Assessment of Near-Surface Soil Conditions Adjacent to 694-4	0-1	Metals	--
06TP-22	Assessment of Near-Surface Soil Conditions Adjacent to 694-4	0-1	Metals	--
06TP-23	Duplicate of 694-4	0-1	Metals	n/a

Notes

(1) – Sample will be collected in fill soil immediately below the base rock/fill interface or slab/fill interface if base rock is not present

(2) – Sample will be collected in immediately above water table

VOCs – Volatile Organic Compounds by EPA Method 8260b/5035

TPHg – Total Petroleum Hydrocarbons Quantified as Gasoline by GCM S

TPHd – Total Petroleum Hydrocarbons Quantified as Diesel by EPA Method 8015 modified

Metals – California Code of Regulation Title 22 Metals by EPA Methods 6010B and 7417A

Cyanide – Total Cyanide by EPA Method 335.2

pH – pH by EPA Method 9045c

Table 6  
 Summary of Groundwater Sampling and Analysis Program  
 Facility Investigation Report  
 Baxter Court and Thomas Properties  
 West Francisco Boulevard  
 San Rafael, California

Boring/Sample Location ID	Location and Sampling Rationale	Water Sample Depth (ft)	Analytical Parameters	Duplicate
<u>Specification Chrome Plating Shop Footprint</u>				
06SC -09	Assessment of Groundwater Conditions Beneath Anodize Plating Area/Closure Confirmation	5 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals	06SC -100
06SC -10	Assessment of Groundwater Conditions Beneath Fixed Treatment Unit/Closure Confirmation	5 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals	--
06SC -16	Assessment of Groundwater Conditions Beneath Zinc Plating Area/Closure Confirmation	5 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals	--
06SC -100	duplicate of 06SC -9	5 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals	n/a
<u>Quality Chrome Plating Shop Footprint</u>				
06QC -05	Assessment of Groundwater Conditions Beneath Plating Area/Closure Confirmation	5 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals	06QC -100
06QC -12	Assessment of Groundwater Conditions Beneath Former Fixed Treatment Unit Area/Closure Confirmation	5 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals	--
06QC -100	duplicate of 06QC -05	5 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals	n/a
<u>Former San Rafael Plating Shop Footprint</u>				
06SR -05	Assessment of Groundwater Soil Conditions Beneath Former Plating Shop	5 <sup>(1)</sup>	VOCs, TPHg, TPHd, Metals	--
<u>Former Underground Storage Tank Location</u>				
06UST -01	Assessment of Groundwater Conditions in Former UST Location	5 <sup>(1)</sup>	VOCs, TPHg, TPHd	--

Notes

- (1) - Sample will be collected from first-encountered groundwater
- VOCs - Volatile Organic Compounds by EPA Method 8260b/5035
- TPHg - Total Petroleum Hydrocarbons Quantified as Gasoline by GCMS
- TPHd - Total Petroleum Hydrocarbons Quantified as Diesel by EPA Method 8015 modified
- Metals - California Code of Regulation Title 22 Metals by EPA Methods 6010B and 7417A

Table 7  
Soil Analytical Results - Inorganic Constituents  
Facility Investigation Report  
Baxter Court and Thomas Properties  
San Rafael, California

Boxing ID	Sample ID	Sample Depth (#lbs)	Anthony (mg/kg)	Arsenic (mg/kg)	Barium (mg/kg)	Beryllium (mg/kg)	Cadmium (mg/kg)	Chromium (mg/kg)	Cobalt (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Molybdenum (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Thallium (mg/kg)	Vanadium (mg/kg)	Zinc (mg/kg)	Mercury (mg/kg)	Hexachrome (mg/kg)	Cyanide (mg/kg)	pH	Status
<b>Speciation Chrom e Plating Shop Footprint</b>																							
06SC-01	06SC-01-1	1.0	<1.0	9.0	91	<1.0	2.5	220	30	490	60	<1.0	310	<2.0	3.2	<2.0	61	1500	0.13	<0.10	--	8.3	R
06SC-02	06SC-02-1	1.0	<1.0	7.1	85	<1.0	9.1	330	33	62	12	<1.0	380	<2.0	1.5	<2.0	44	110	0.70	<0.10	--	9.3	R
06SC-23	06SC-23-1 <sup>1</sup>	1.0	<1.0	6.6	130	<1.0	3.2	89	14	70	12	<1.0	110	<2.0	<1.0	<2.0	33	73	0.12	0.34	--	9.3	DR
06SC-02	06SC-02-5	5.0	<1.0	10	180	<1.0	4.1	210	29	72	13	<1.0	220	<2.0	<1.0	<2.0	48	120	0.36	<0.10	--	8.5	
06SC-03	06SC-03-1	1.0	<1.0	8.2	230	<1.0	<1.0	21	19	31	11	<1.0	35	<2.0	<1.0	<2.0	28	65	0.12	<0.10	<1.0	7.9	
06SC-03	06SC-03-5	5.0	<1.0	6.7	74	<1.0	<1.0	44	15	47	7.2	<1.0	52	<2.0	<1.0	<2.0	51	57	0.24	<0.10	<1.0	9.1	
06SC-04	06SC-04-1	1.0	<1.0	8.6	200	<1.0	<1.0	27	33	36	11	<1.0	43	<2.0	<1.0	<2.0	38	61	0.070	<0.10	--	8.7	
06SC-04	06SC-04-5	5.0	1.3	12	160	<1.0	<1.0	430	33	39	5.9	<1.0	470	<2.0	<1.0	<2.0	62	52	0.086	<0.10	--	9.0	
06SC-05	06SC-05-1	1.0	<1.0	5.1	180	<1.0	<1.0	65	23	30	14	1.2	58	<2.0	<1.0	<2.0	28	57	0.25	<0.10	--	8.1	
06SC-06	06SC-06-1	1.0	<1.0	5.2	190	<1.0	<1.0	26	16	24	13	2.2	36	<2.0	<1.0	<2.0	36	51	0.054	<0.10	--	7.9	
06SC-07	06SC-07-1	1.0	<1.0	8.5	270	<1.0	1.1	50	30	38	14	<1.0	120	<2.0	<1.0	<2.0	34	85	0.11	0.10	--	8.1	
06SC-08	06SC-08-1	1.0	<1.0	8.2	380	<1.0	<1.0	32	16	33	8.7	<1.0	42	<2.0	20	<2.0	30	61	0.079	0.16	--	8.6	
06SC-08	06SC-08-5	5.0	<1.0	9.1	130	<1.0	<1.0	300	34	34	5.4	<1.0	400	<2.0	<1.0	<2.0	66	45	0.074	0.10	--	9.3	
06SC-09	06SC-09-1	1.0	<1.0	5.7	82	<1.0	<1.0	27	20	21	7.9	<1.0	38	<2.0	<1.0	<2.0	42	62	<0.050	<0.10	<1.0	8.7	
06SC-09	06SC-09-5	5.0	<1.0	9.8	230	<1.0	<1.0	270	30	38	5.2	<1.0	320	<2.0	<1.0	<2.0	82	55	0.13	<0.10	<1.0	8.4	
06SC-10	06SC-10-1	1.0	<1.0	8.2	95	<1.0	3.1	140	19	57	27	<1.0	170	<2.0	<1.0	<2.0	41	1800	0.32	--	--	7.6	
06SC-10	06SC-10-5	5.0	4.4	11	98	<1.0	<1.0	210	25	48	5.3	<1.0	300	<2.0	<1.0	<2.0	57	65	0.17	--	--	8.4	
06SC-11	06SC-11-1	1.0	<1.0	5.8	180	<1.0	<1.0	22	16	24	9.5	<1.0	33	<2.0	<1.0	<2.0	36	58	0.087	<0.10	<1.0	9.3	
06SC-12	06SC-12-1	1.0	<1.0	5.2	140	<1.0	<1.0	17	14	17	9.7	<1.0	24	<2.0	<1.0	<2.0	27	55	0.12	<0.10	--	8.0	
06SC-13	06SC-13-1	1.0	<1.0	5.8	160	<1.0	<1.0	17	62	16	6.9	<1.0	26	<2.0	<1.0	<2.0	30	40	0.16	<0.10	--	9.6	
06SC-14	06SC-14-1	1.0	2.0	13	160	<1.0	<1.0	35	13	25	14	<1.0	41	<2.0	<1.0	<2.0	20	95	0.091	<0.10	11	8.8	
06SC-14	06SC-14-5	5.0	<1.0	6.2	74	<1.0	<1.0	350	34	56	4.2	<1.0	430	<2.0	<1.0	<2.0	83	65	0.056	<0.10	<1.0	8.7	
06SC-15	06SC-15-1	1.0	<1.0	4.8	110	<1.0	4.5	22	11	12	12	<1.0	26	<2.0	<1.0	<2.0	28	47	0.14	<0.10	<1.0	9.7	R
06SC-24	06SC-24-1 <sup>2</sup>	1.0	<1.0	8.2	200	<1.0	12	36	13	50	32	1.7	51	<2.0	<1.0	<2.0	30	86	0.23	<0.1	1.3	9.7	DR
06SC-16	06SC-16-1	1.0	<1.0	5.4	500	<1.0	<1.0	20	12	22	100	<1.0	33	<2.0	<1.0	<2.0	25	480	0.12	<0.10	5.4	9.7	
06SC-16	06SC-16-5	5.0	11	5.3	180	<1.0	<1.0	2400	170	26	7.0	<1.0	2600	<2.0	<1.0	<2.0	85	48	0.42	<0.10	<1.0	8.5	
06SC-17	06SC-17-1	1.0	<1.0	8.0	64	<1.0	<1.0	58	14	36	5.9	<1.0	97	<2.0	<1.0	<2.0	42	58	0.10	<0.10	4.8	9.8	
06SC-17	06SC-17-5	5.0	<1.0	4.4	120	<1.0	<1.0	17	17	71	1.4	<1.0	56	<2.0	<1.0	<2.0	38	61	0.089	<0.10	8.2	9.1	
06SC-18	06SC-18-1	1.0	<1.0	6.2	160	<1.0	3.3	28	12	52	18	<1.0	31	<2.0	2.9	<2.0	33	210	0.14	<0.10	23	9.7	
06SC-19	06SC-19-1	1.0	<1.0	5.2	220	<1.0	1.3	110	23	65	260	1.4	130	<2.0	<1.0	<2.0	40	160	0.14	<0.10	3.1	8.2	
06SC-19	06SC-19-5	5.0	<1.0	7.9	99	<1.0	<1.0	240	24	34	7.3	<1.0	310	<2.0	<1.0	<2.0	51	42	0.11	<0.10	<1.0	8.9	
06SC-20	06SC-20-1	1.0	1.6	7.4	370	<1.0	<1.0	31	11	32	86	<1.0	45	<2.0	<1.0	<2.0	24	69	0.11	<0.10	--	8.5	R
06SC-20	06SC-20-5	5.0	<1.0	6.8	75	<1.0	<1.0	200	27	49	5.3	<1.0	290	<2.0	<1.0	<2.0	76	55	0.54	<0.10	--	8.8	R
06SC-21	06SC-21-1	1.0	<1.0	11	360	<1.0	<1.0	24	11	23	120	<1.0	38	<2.0	<1.0	<2.0	22	56	0.11	<0.10	--	8.9	R
06SC-22	06SC-22-1	1.0	<1.0	5.9	190	<1.0	<1.0	29	15	24	41	<1.0	48	<2.0	11	<2.0	27	55	0.13	<0.10	--	9.0	R
<b>Quality Chrom e Plating Shop Footprint</b>																							
06QC-01	06QC-01-1	1.0	2.0	11	110	<1.0	<1.0	40	22	26	9.0	<1.0	2400	<2.0	<1.0	<2.0	16	52	0.33	0.96	--	8.6	
06QC-01	06QC-01-5	5.0	23	16	63	<1.0	<1.0	250	34	48	7.0	<1.0	500	<2.0	<1.0	<2.0	55	61	0.18	0.19	--	6.7	
06QC-02	06QC-02-1	1.0	1.7	14	110	<1.0	1.2	56	12	400	13	<1.0	1400	<2.0	<1.0	<2.0	16	230	<0.050	<0.10	--	7.0	
06QC-03	06QC-03-1	1.0	<1.0	6.5	110	<1.0	3.3	48	240	180	67	<1.0	420	<2.0	35	<2.0	48	190	0.12	0.11	--	7.4	
06QC-03	06QC-03-5	5.0	<1.0	110	110	<1.0	<1.0	15	13	18	13	<1.0	22	<2.0	<1.0	<2.0	25	200	0.17	<0.10	--	6.5	
06QC-04	06QC-04-1	1.0	1.4	23	72	<1.0	<1.0	22	13	17	8.6	<1.0	110	<2.0	<1.0	<2.0	13	50	0.20	2.4	<1.0	7.4	R
06QC-13	06QC-13-1 <sup>3</sup>	1.0	1.4	26	85	<1.0	<1.0	36	8.3	21	8.5	<1.0	230	<2.0	<1.0	<2.0	11	59	0.26	1.8	--	7.4	D
06QC-05	06QC-05-1	1.0	1.7	11	120	<1.0	<1.0	24	13	40	14	<1.0	97	<2.0	<1.0	<2.0	20	81	0.42	<0.10	--	6.2	
06QC-05	06QC-05-5	5.0	<1.0	<1.0	150	<1.0	<1.0	430	34	30	6.1	<1.0	520	<2.0	<1.0	<2.0	55	45	0.062	<0.10	--	7.6	
06QC-06	06QC-06-1	1.0	2.4	13	110	<1.0	<1.0	79	15	31	8.6	<1.0	2300	<2.0	<1.0	<2.0	14	65	0.23	1.1	<1.0	6.7	
06QC-07	06QC-07-1	1.0	<1.0	8.2	110	<1.0	<1.0	45	24	100	27	<1.0	75	<2.0	<1.0	<2.0	54	100	0.09	<0.10	--	7.4	
06QC-08	06QC-08-1	1.0	<1.0	7.3	80	<1.0	<1.0	79	8.5	180	6.5	<1.0	570	<2.0	<1.0	<2.0	67	66	<0.050	<0.10	--	3.9	
06QC-09	06QC-09-1	1.0	<1.0	13	82	<1.0	<1.0	110	23	81	52	<1.0	62	<2.0	<1.0	<2.0	83	100	1.6	1.0	--	6.5	R

Table 7  
Soil Analytical Results - Inorganic Constituents  
Facility Investigation Report  
Baxter Court and Thomas Properties  
San Rafael, California

Boxing ID	Sample ID	Sample Depth (#lbs)	Anthony (mg/kg)	Asbestos (mg/kg)	Barium (mg/kg)	Beryllium (mg/kg)	Cadmium (mg/kg)	Chromium (mg/kg)	Cobalt (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Molybdenum (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Thallium (mg/kg)	Vanadium (mg/kg)	Zinc (mg/kg)	Mercury (mg/kg)	Hexachrome (mg/kg)	Cyanide (mg/kg)	pH	Status	
060C-09	060C-09-5	5.0	8.3	9.1	73	<1.0	5.4	2500	13	1400	100	<1.0	5700	<2.0	<1.0	<2.0	23	330	0.24	11	--	6.4	R	
060C-10	060C-10-1	1.0	2.4	8.0	176	<1.0	180	180	35	170	11	<1.0	2200	<2.0	1.5	<2.0	44	360	0.14	0.21	--	8.1	R	
060C-11	060C-11-1	1.0	1.9	8.9	150	<1.0	2.6	530	22	510	150	<1.0	1500	<2.0	<1.0	<2.0	47	350	0.19	0.35	--	8.1	R	
060C-12	060C-12-1	1.0	<1.0	7.2	190	<1.0	<1.0	44	17	41	10	<1.0	56	<2.0	<1.0	<2.0	41	55	0.15	<0.10	--	6.4	R	
060C-12	060C-12-5	5.0	<1.0	<1.0	85	<1.0	<1.0	410	31	36	6.5	<1.0	460	<2.0	<1.0	<2.0	61	54	0.085	<0.10	--	7.6	R	
<b>Formers San Rafael Plaza Shop Footprints</b>																								
06SR-01	06SR-01-1	1.0	<1.0	9.2	81	<1.0	<1.0	510	37	230	27	<1.0	590	<2.0	7.4	<2.0	67	74	0.076	0.10	--	8.1	D	
06SR-06	06SR-06-1 <sup>4</sup>	1.0	12	16	380	<1.0	6.0	920	30	1600	870	<1.0	900	<2.0	76	<2.0	51	570	0.11	<0.10	--	8.1	D	
06SR-02	06SR-02-1	1.0	<1.0	9.0	87	<1.0	<1.0	450	32	72	29	<1.0	460	<2.0	<1.0	<2.0	64	78	0.089	<0.10	--	8.3	R	
06SR-02	06SR-02-5	5.0	1.1	6.5	120	<1.0	92	92	15	32	13	<1.0	120	<2.0	<1.0	<2.0	39	47	0.18	<0.10	--	8.5	R	
06SR-03	06SR-03-1	1.0	6.2	11	99	<1.0	1.2	1900	16	490	160	<1.0	320	<2.0	7.6	<2.0	42	220	0.46	2.2	--	8.4	R	
06SR-03	06SR-03-5	5.0	2.0	6.7	53	<1.0	<1.0	1100	35	48	6.8	<1.0	480	<2.0	<1.0	<2.0	57	50	0.095	0.44	--	7.7	R	
06SR-04	06SR-04-1	1.0	<1.0	8.0	120	<1.0	<1.0	140	23	73	35	<1.0	190	<2.0	<1.0	<2.0	63	98	0.28	<0.10	--	7.5	R	
06SR-05	06SR-05-1	1.0	3.8	9.9	170	<1.0	1.6	140	20	97	390	<1.0	140	<2.0	1.6	<2.0	52	240	0.12	<0.10	--	7.8	R	
06SR-05	06SR-05-5	5.0	<1.0	<1.0	97	<1.0	<1.0	300	31	37	6.2	<1.0	360	<2.0	<1.0	<2.0	61	49	0.20	<0.10	--	8.6	R	
<b>Thomas Property Sample Locations</b>																								
06TP-01	06TP-01-1	1.0	<1.0	12	190	<1.0	<1.0	81	19	52	33	<1.0	96	<2.0	<1.0	<2.0	54	130	0.087	0.14	<1.0	--	--	D
06TP-09	06TP-09-1 <sup>5</sup>	1.0	<1.0	11	180	<1.0	<1.0	69	18	41	29	<1.0	85	<2.0	<1.0	<2.0	49	110	0.11	<0.10	--	--	--	D
06TP-01	06TP-01-5	5.0	<1.0	7.6	84	<1.0	<1.0	390	35	49	3.9	<1.0	500	<2.0	<1.0	<2.0	74	55	0.050	<0.10	<1.0	--	--	R
06TP-02	06TP-02-1	1.0	1.4	12	140	<1.0	37	330	21	200	160	<1.0	490	<2.0	<1.0	<2.0	52	3900	0.11	<0.10	28	--	--	R
06TP-02	06TP-02-5	5.0	<1.0	9.2	150	<1.0	1.0	320	27	68	8.8	<1.0	380	<2.0	<1.0	<2.0	69	60	0.077	0.14	<1.0	--	--	R
06TP-03	06TP-03-1	1.0	<1.0	10	140	<1.0	4.3	290	26	130	250	<1.0	320	<2.0	<1.0	<2.0	59	1400	0.13	<0.10	<1.0	--	--	R
06TP-03	06TP-03-5	5.0	<1.0	8.1	34	<1.0	<1.0	71	14	24	7.1	2.4	65	<2.0	<1.0	<2.0	57	93	<0.050	1.2	--	--	R	
06TP-04	06TP-04-1	1.0	<1.0	11	150	<1.0	6.9	140	15	120	250	<1.0	150	<2.0	<1.0	<2.0	47	410	0.28	<0.10	--	--	R	
06TP-04	06TP-04-5	5.0	<1.0	9.5	110	<1.0	<1.0	570	37	48	10	<1.0	430	<2.0	<1.0	<2.0	76	740	0.075	<0.10	--	--	R	
06TP-05	06TP-05-1	1.0	<1.0	12	190	<1.0	<1.0	280	31	63	93	<1.0	360	<2.0	<1.0	<2.0	69	110	0.15	<0.10	--	--	R	
06TP-05	06TP-05-5	5.0	<1.0	9.2	160	<1.0	<1.0	370	40	45	5.7	<1.0	460	<2.0	<1.0	<2.0	74	59	0.069	<0.10	--	--	R	
06TP-06	06TP-06-1	1.0	<1.0	11	120	<1.0	<1.0	170	25	47	37	<1.0	220	<2.0	<1.0	<2.0	57	87	0.12	<0.10	--	--	R	
06TP-06	06TP-06-5	5.0	<1.0	5.2	39	<1.0	<1.0	82	12	29	10	1.6	95	<2.0	<1.0	<2.0	54	60	0.087	0.43	--	--	R	
06TP-07	06TP-07-1	1.0	<1.0	7.6	110	<1.0	<1.0	180	21	48	59	<1.0	230	<2.0	<1.0	<2.0	48	170	0.27	<0.10	--	--	R	
06TP-08	06TP-08-1	1.0	<1.0	13	100	<1.0	5.2	420	19	220	360	<1.0	330	<2.0	<1.0	<2.0	46	450	0.13	<0.10	--	--	R	
06TP-08	06TP-08-5	5.0	<1.0	9.2	84	<1.0	<1.0	34	20	24	13	<1.0	50	<2.0	<1.0	<2.0	44	60	0.30	<0.10	--	--	R	
06TP-10	06TP-10-1	1.0	<1.0	2.6	94	<1.0	<1.0	180	22	35	12	<1.0	240	<2.0	<1.0	<2.0	49	56	0.16	0.14	--	--	R	
06TP-10	06TP-10-5	5.0	<1.0	8.5	130	<1.0	<1.0	69	16	49	30	<1.0	87	<2.0	<1.0	<2.0	49	64	<0.050	<0.10	--	--	R	
06TP-11	06TP-11-1	1.0	<1.0	4.3	150	<1.0	64	64	15	38	40	1.1	92	<2.0	<1.0	<2.0	36	78	0.28	<0.10	--	--	R	
06TP-12	06TP-12-1	1.0	<1.0	3.6	100	<1.0	<1.0	88	18	59	43	<1.0	120	<2.0	<1.0	<2.0	40	80	0.18	<0.10	--	--	R	
06TP-12	06TP-12-5	5.0	<1.0	13	110	<1.0	<1.0	60	15	49	11	<1.0	95	<2.0	<1.0	<2.0	34	69	0.099	<0.10	--	--	R	
06TP-13	06TP-13-1	1.0	<1.0	2.9	120	<1.0	<1.0	120	19	36	33	<1.0	160	<2.0	<1.0	<2.0	52	64	0.18	<0.10	--	--	R	
06TP-14	06TP-14-1	1.0	<1.0	4.6	73	<1.0	7.5	50	6.5	36	39	<1.0	74	<2.0	<1.0	<2.0	28	120	0.30	<0.10	--	--	R	
06TP-14	06TP-14-5	5.0	<1.0	6.4	20	<1.0	<1.0	610	44	33	5.6	<1.0	610	<2.0	<1.0	<2.0	75	57	<0.050	<0.10	--	--	R	
06TP-15	06TP-15-1	1.0	<1.0	5.3	110	<1.0	2.4	44	8.0	24	15	<1.0	44	<2.0	<1.0	<2.0	32	47	0.31	<0.10	--	--	R	
06TP-15	06TP-15-5	5.0	<1.0	9.1	190	<1.0	110	110	23	48	13	<1.0	150	<2.0	<1.0	<2.0	43	75	<0.050	<0.10	--	--	R	
06TP-16	06TP-16-1	1.0	<1.0	7.1	140	<1.0	1.8	41	11	40	43	<1.0	60	<2.0	<1.0	<2.0	44	73	0.16	<0.10	--	--	R	
06TP-17	06TP-17-1	1.0	<1.0	8.0	88	<1.0	3.9	57	11	38	45	<1.0	92	<2.0	<1.0	<2.0	42	92	0.56	<0.10	--	--	R	
06TP-18	06TP-18-1	1.0	<1.0	6.2	68	<1.0	<1.0	21	7.5	13	19	<1.0	30	<2.0	<1.0	<2.0	28	40	0.42	<0.10	--	--	R	
06TP-22	06TP-22-1 <sup>6</sup>	1.0	<1.0	8.1	110	<1.0	<1.0	39	11	22	22	<1.0	49	<2.0	<1.0	<2.0	35	60	0.21	<0.10	--	--	R	
06TP-18	06TP-18-5	5.0	<1.0	10	68	<1.0	<1.0	210	30	37	7.1	<1.0	360	<2.0	<1.0	<2.0	62	54	<0.050	<0.10	--	--	R	

Table 7  
 Soil Analytical Results - Inorganic Constituents  
 Facility Investigation Report  
 Baxter Court and Thomas Properties  
 San Rafael, California

Boxing ID	Sample ID	Sample Depth (#Lbgs)	Antimony (mg/kg)	Arsenic (mg/kg)	Barium (mg/kg)	Beryllium (mg/kg)	Cadmium (mg/kg)	Chromium (mg/kg)	Cobalt (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Molybdenum (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Thallium (mg/kg)	Vanadium (mg/kg)	Zinc (mg/kg)	Mercury (mg/kg)	Hexachrome (mg/kg)	Cyanide (mg/kg)	pH	Status
06TP-19	06TP-19-1	1.0	<1.0	6.4	90	<1.0	1.8	47	9.5	27	45	<1.0	63	<2.0	<1.0	<2.0	31	83	0.37	<0.10	--	--	
06TP-19	06TP-19-5	5.0	<1.0	7.6	190	<1.0	<1.0	55	24	45	12	<1.0	94	<2.0	<1.0	<2.0	35	110	0.076	<0.10	--	--	
06TP-20	06TP-20-1	1.0	<1.0	3.7	35	<1.0	<1.0	20	4.7	9.9	7.1	<1.0	22	<2.0	<1.0	<2.0	18	37	0.38	<0.10	--	--	
06TP-21	06TP-21-1	1.0	<1.0	11	140	<1.0	3.0	85	15	43	96	<1.0	110	<2.0	<1.0	<2.0	41	120	0.43	<0.10	--	--	
CHSLS Residential Land Use																							
CHSLS Commercial Land Use																							
PRGSR Region 9 Residential Soil																							
PRGSR Region 9 Industrial Soil																							
STLC *																							
TTLIC																							

**Notes:**  
 R = results pertain to samplings removed during subsequent soil removal.  
 D = duplicate samplings (see notes)

**Notes:**  
 1: Duplicate of 06SC-02-1  
 2: Duplicate of 06SC-15  
 3: Duplicate of 06CC-04  
 4: Duplicate of 06SR-01  
 5: Duplicate of 06TP-01  
 6: Duplicate of 06TP-48

e: Excluding molybdenum data

CHSLS - California Human Health Screening Levels  
 RSLs - Environmental Screening Levels  
 PRGSR - Pacific Region Remediation Goals Region 9

Table 8  
Soil Analytical Results - Organic Constituents  
Facility Investigation Report  
Baxter Court and Thomas P. Papette  
San Rafael, California

Booth ID	Sample Depth	Sample Depth (ft)	1,1,1-Trichloroethane (mg/kg)	1,1-DCA (mg/kg)	1,1-DCE (mg/kg)	BDC (mg/kg)	Benzene (mg/kg)	cis-1,2-DCE (mg/kg)	Ethylbenzene (mg/kg)	MTBE (mg/kg)	PCE (mg/kg)	Toluene (mg/kg)	trans-1,2-DCE (mg/kg)	TCE (mg/kg)	VC (mg/kg)	Xylenes (mg/kg)	TPHG (mg/kg)	TPHD (mg/kg)	TPHm (mg/kg)	Other (mg/kg)	Status	
Specified by Client: Pallets Shop Footprint																						
06SC-01	06SC-01-1	1.0	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0077	<0.077	<2.5	<10			
06SC-02	06SC-02-1	1.0	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0089	<0.089	<2.5	<10			
06SC-03	06SC-03-1	1.0	<0.0037	<0.0037	<0.0037	<0.0037	<0.0037	<0.0037	<0.0037	<0.0037	<0.0037	<0.0037	<0.0037	<0.0037	<0.0037	<0.0074	<0.074	<2.5	<10		D	
06SC-04	06SC-04-1	1.0	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0078	<0.078	<2.5	<10			
06SC-05	06SC-05-1	1.0	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0075	--	--	--			
06SC-06	06SC-06-1	1.0	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0082	--	--	--			
06SC-07	06SC-07-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.0079	--	--	--			
06SC-08	06SC-08-1	1.0	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0077	--	--	--			
06SC-09	06SC-09-1	1.0	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0084	<0.084	<2.5	210			
06SC-10	06SC-10-1	1.0	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0084	<0.084	<12.1 <sup>11</sup>	--			
06SC-11	06SC-11-1	1.0	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0075	<0.075	<2.5 <sup>12</sup>	--			
06SC-12	06SC-12-1	1.0	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0083	<0.080	<2.5	--			
06SC-13	06SC-13-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.0081	<0.080	<2.5	--			
06SC-14	06SC-14-1	1.0	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0076	--	--	--			
06SC-15	06SC-15-1	1.0	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0078	<0.078	<2.5	22			
06SC-16	06SC-16-1	1.0	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0084	<0.084	<12	120			
06SC-17	06SC-17-1	1.0	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0077	--	--	--			
06SC-18	06SC-18-1	1.0	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0081	--	--	--			
06SC-19	06SC-19-1	1.0	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0085	--	--	--			
06SC-20	06SC-20-1	1.0	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0038	<0.0075	<0.075	<50	1200		R	
06SC-21	06SC-21-1	1.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<0.0039	59	<2.5	310		R	
06SC-22	06SC-22-1	1.0	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.009	<0.0042	<0.0042	<0.0082	<0.0042	<0.0042	<0.0042	0.06	--	--	--		R	
Quality Control: Pallets Shop Footprint																						
06Q-C-02	06Q-C-02-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.008	<0.080	<2.5	--			
06Q-C-04	06Q-C-04-1	1.0	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0081	<0.081	<2.5	--			
06Q-C-13	06Q-C-13-1	1.0	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0083	<0.083	<2.5	--			
06Q-C-06	06Q-C-06-1	1.0	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0039	<0.0078	<0.078	<2.5	--			
06Q-C-08	06Q-C-08-1	1.0	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0088	<0.088	<2.5	--			
06Q-C-09	06Q-C-09-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.008	<0.080	<2.5 <sup>14</sup>	--			
06Q-C-09	06Q-C-09-5	5.0	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0088	<0.088	<2.5	--			
06Q-C-10	06Q-C-10-1	1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.001	<0.010	<2.5 <sup>13</sup>	--			
06Q-C-11	06Q-C-11-1	1.0	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0084	<0.084	<120 <sup>17</sup>	--			
06Q-C-12	06Q-C-12-1	1.0	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0083	<0.083	<370 <sup>14</sup>	--			
06Q-C-12	06Q-C-12-5	5.0	<0.180	<0.180	<0.180	<0.180	<0.180	<0.180	<0.180	<0.180	<0.180	<0.180	<0.180	<0.180	<0.180	0.53	56 <sup>15</sup>	<170 <sup>14</sup>	--			
																				1,2,4-T=0.058; 1,1,2,5-T= 0.018; m-P = 0.0054; N = 0.026		
																				1,2,4-T=0.20; 1,3,5-R = 0.46		

Table 8  
Soil Analytical Results - Organic Constituents  
Facility Investigation Report  
Baxter Court and Thomas Properties  
San Rafael, California

Booth ID	Sample Depth #	Sample Depth #	Sample Depth #	1,1-DCA (mg/kg)	1,1-DCE (mg/kg)	EDC (mg/kg)	Benzene (mg/kg)	cis-1,2-DCE (mg/kg)	Ethylbenzene (mg/kg)	M TBE (mg/kg)	PCE (mg/kg)	Toluene (mg/kg)	trans-1,2-DCE (mg/kg)	TCE (mg/kg)	VC (mg/kg)	Xylenes (mg/kg)	TPHG (mg/kg)	TPHD (mg/kg)	TPHm (mg/kg)	Other (mg/kg)	Status
<b>Excess San Rafael Pallet Shop Footprint</b>																					
06SR-01	06SR-01-1	1.0	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0041	<0.0082	<0.082	<2.5	<10		
06SR-02	06SR-02-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.009	<0.090	<2.5*	110		
06SR-03	06SR-03-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.008	<0.080	<120	1400*		
06SR-04	06SR-04-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.0087	<0.087	<50	580		
06SR-05	06SR-05-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.0087	<0.087	<120	1200		
06SR-06	06SR-06-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.0087	<0.087	<120	160		
06SR-07	06SR-07-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.0084	<0.084	<250	3900		
<b>Former Underground Storage Tank Location</b>																					
06ST-01	06ST-01-4	4.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.0079	<0.079	<2.5	--		
<b>Thomas Property Sample Locations</b>																					
06TP-01	06TP-01-1	1.0	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.0045	<0.009	--	--	--		
06TP-02	06TP-02-1	1.0	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.0087	--	--	--		
06TP-03	06TP-03-1	1.0	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0079	<0.0081	<0.081	<16	--		
06TP-04	06TP-04-5	5.0	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0044	<0.0088	--	--	--		
PRG's Region 9 Residential Soil		1200	510	120	0.28	6.4	43	400	400	32	0.48	520	69	0.053	0.079	270	--	--	--	1,2,4-T (E2),1,2,5-T (E1)	
PRG's Region 9 Industrial Soil		1200	1700	410	0.6	6.4	150	400	400	70	1.3	520	230	0.11	0.75	420	--	--	--	1,2,4-T (E2),1,2,5-T (E1)	
ESLRC on existing Land Use <sup>10</sup>		7.8	0.32	4.3	0.025	0.18	1.6	32	32	2	0.087	9.3	3.1	0.26	0.0067	11	100	100	500	--	
ESLRC on existing Land Use <sup>11</sup>		7.8	0.89	4.3	0.07	0.38	3.6	32	32	5.6	0.24	9.3	7.1	0.73	0.019	11	400	500	1000	--	

**NOTES:**  
 1: Duplicates of 06SC-02-01  
 2: Duplicates of 06SC-15  
 3: Duplicates of 06SC-04  
 4: Duplicates of 06SR-01  
 5: Not used  
 6: 1.5 mg/kg Hydrocarbons (C8-C18), No D base present.  
 7: Mixture of hydrocarbons (C8-C18), No D base present.  
 8: 1.1 mg/kg Hydrocarbons (C8-C18), No D base present.  
 9: 1.4 mg/kg Hydrocarbons (C8-C18), No D base present.  
 10: 73 mg/kg Hydrocarbons (C8-C18), No D base present.  
 11: 73 mg/kg Hydrocarbons (C8-C18), No D base present.  
 12: 2.7 mg/kg Hydrocarbons (C8-C18), No D base present.  
 13: 42 mg/kg Hydrocarbons (C8-C18), No D base present.

**STATUS:**  
 R = soil subject to sampling removed during subsequent remediation.  
 D = duplicate sampling (see notes)

14: Analytical Method (E12-C28).  
 15: Analytical Method (No detection of gas phase).  
 16: 110 mg/kg Mixture of No D base present.  
 17: 93 mg/kg Mixture of No D base present.  
 18: 55 mg/kg Mixture of No D base present.  
 19: Shallow Soils (less than equivalent to 3 in deep, GW not drinking water source).  
 2,4-T = 1,2,4-trichlorobenzene  
 1,2,5-T = 1,2,5-trichlorobenzene  
 n-P = n-Propylbenzene  
 N = Naphthalene  
 PRG 8 - Pugh Kelly Remediation Goals Region 9  
 ESLRC - Environmental Screening Levels - Bay Area Regional Water Quality Control Board



Table 9  
 Groundwater Analytical Results - Inorganic Constituents  
 Facility Investigation Report  
 Baxter Court and Thomas Properties  
 San Rafael, California

Point ID	Sample ID	Sample Depth	Antimony (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Beryllium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Cobalt (mg/L)	Copper (mg/L)	Lead (mg/L)	Molybdenum (mg/L)	Nickel (mg/L)	Selenium (mg/L)	Silver (mg/L)	Thallium (mg/L)	Vanadium (mg/L)	Zinc (mg/L)	Mercury (mg/L)	Hexachrome (mg/L)	Cyanide (mg/L)	pH
<b>Specification Chrome Plating Shop Footprint</b>																						
06SC	06SC-09-GW	5.0	<0.010	0.016	0.19	<0.0050	<0.0020	0.0080	0.0070	<0.0050	0.019	0.018	0.013	<0.0050	<0.0050	<0.020	<0.0050	<0.010	<0.0002	<0.010	NA	NA
06SC	06SC-10-GW	5.0	<0.010	0.010	<0.0050	<0.0050	<0.0020	0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.020	<0.0050	<0.020	<0.0050	<0.010	<0.0002	<0.010	NA	NA
06SC	06SC-16-GW	5.0	<0.010	0.018	0.18	<0.0050	<0.0020	0.0080	0.036	<0.0050	0.014	0.020	2.2	<0.020	<0.0050	<0.020	0.0080	<0.010	<0.0002	<0.10	NA	NA
<b>Quality Chrome Plating Shop Footprint</b>																						
06QC	06QC-05-GW	5.0	<0.010	0.011	0.26	<0.0050	<0.0020	<0.0050	0.0060	0.15	0.080	0.037	0.38	<0.020	<0.0050	<0.020	0.0050	<0.010	<0.0002	<0.010	NA	NA
06QC	06QC-12-GW	5.0	<0.010	0.018	0.47	<0.0050	<0.0020	0.012	0.0090	<0.0050	0.015	0.034	0.065	<0.020	<0.0050	<0.020	<0.0050	<0.010	<0.0002	<0.010	NA	NA
06QC	06QC-100-GW	5.0	<0.010	0.016	0.15	<0.0050	<0.0020	<0.0050	0.0080	0.26	0.070	0.051	0.50	<0.020	<0.0050	<0.020	0.012	<0.010	<0.0002	<0.010	NA	NA
<b>Former San Rafael Plating Shop Footprint</b>																						
06SR	06SR-05-GW	5.0	<0.010	0.031	0.5	<0.0050	<0.0020	0.0090	0.017	<0.0050	0.027	0.020	0.031	<0.020	<0.0050	<0.020	0.017	<0.010	<0.0002	<0.010	NA	NA



Table 11  
Soil Remediation Sampling Results  
Facility Investigation Report  
Baxter Court and Thomas Properties  
San Rafael, California

Sample ID	Sample Depth (ft/bgs)	Antimony (mg/kg)	Barium (mg/kg)	Beryllium (mg/kg)	Cadmium (mg/kg)	Chromium (mg/kg)	Cobalt (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Molybdenum (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Thallium (mg/kg)	Vanadium (mg/kg)	Zinc (mg/kg)	Manganese (mg/kg)	Hexachlorobenzene (mg/kg)	Cyanide (mg/kg)	VOCs (mg/kg)
<b>Decord and VOC Soil Remediation</b>																				
<b>Specification Chrome</b>																				
SC1101-1	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
SC1101-2	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
SC1101-3	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
SC1101-4	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CS-1,2-DCE: 0.53
SC1101-5	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
SC1102-1	5.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CS-1,2-DCE: 0.0072; TCE: 0.013
SC1102-2	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
SC1102-3	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
SC1102-4	5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
SC1102-5	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CS-1,2-DCE: 0.0069
SC1102-6	5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CS-1,2-DCE: 0.0059; TCE: 0.0054
Stewart 1.0	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CS-1,2-DCE: 0.0061
Stewart 1.5	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CS-1,2-DCE: 8.8; TCE: 1.13
Bottom 2.0	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
<b>Quality Chrome</b>																				
QCH110106N1	1.0	<1.0	62	<1.0	1.9	270	24	630	12	<1.0	1600	<1.0	<1.0	<1.0	90	320	<1.0	-	-	-
QCH110106S2	1.0	3.3	130	<1.0	2.0	100	17	210	18	<1.0	2400	<1.0	<1.0	<1.0	30	130	0.13	-	-	-
QCH110106R	0.5	2.3	81	<1.0	<1.0	21	8.2	1.7	17	<1.0	34	<1.0	<1.0	<1.0	18	48	0.22	-	-	-
<b>Process Sum p.R. Remediation</b>																				
Stewart 1.0	6.0	6.9	37	<1.0	<1.0	400	7.1	22	6.8	<1.0	61	<1.0	<1.0	<1.0	45	48	0.14	-	-	none detected
Stewart 1.5	11.0	1.5	29	<1.0	<1.0	69	7.6	18	11	<1.0	56	<1.0	<1.0	<1.0	44	63	0.057	-	-	none detected
Bottom 10.0-E	10.0	28.0	25	<1.0	<1.0	1700	7.1	17	3.4	<1.0	40	<1.0	<1.0	<1.0	31	42	<1.0	-	-	none detected
Bottom 10.0-W	10.0	<1.0	3	<1.0	<1.0	44	7.8	18	3.9	<1.0	42	<1.0	<1.0	<1.0	39	43	0.051	-	-	none detected
Bottom 10.0-N	10.0	1.2	25	<1.0	<1.0	64	9.7	17	4.3	<1.0	48	<1.0	<1.0	<1.0	41	51	<1.0	-	-	none detected
Bottom 10.0-S	10.0	28	50	<1.0	<1.0	1600	9.6	37	12	<1.0	75	<1.0	<1.0	<1.0	37	70	<1.0	-	-	240
<b>Final Heavy Soil Remediation Activities</b>																				
<b>Specification Chrome</b>																				
SC1102-11	1.5	-	-	-	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
SC1102-12	1.5	-	-	-	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
<b>Specification Chrome</b>																				
SC1102-13	1.5	-	-	-	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	none detected
<b>Thomas Property</b>																				
TP1102-7	1.5	-	-	-	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP1102-8	1.5	-	-	-	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP1102-9	1.5	-	-	-	<1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>CHHS Residential Land Use</b>																				
3.0E+01	7.0E-02	5.2E+03	1.5E+02	1.5E+02	1.7E+00	1.0E+05	6.6E+02	3.0E+03	1.5E+02	3.8E+02	1.6E+03	3.8E+02	3.8E+02	5.0E+00	5.3E+02	2.3E+04	1.8E+01	1.7E+01	-	-
3.8E+02	2.4E-01	6.3E+04	1.7E+03	7.5E+00	1.0E+05	1.0E+05	3.2E+03	3.8E+04	3.5+03	4.8E+03	1.6E+04	4.8E+03	4.8E+03	6.3+01	6.7E+03	1.0E+05	1.8E+02	3.7E+01	-	-
6.1E+00	5.5E+00	7.5E+02	4.0E+00	1.7E+00	7.5E+02	7.5E+02	1.0E+01	2.3E+02	1.5E+02	1.0E+01	1.5E+02	1.0E+01	1.0E+01	1.0E+00	1.1E+02	6.0E+02	3.7E+00	1.8E+00	3.6E+03	-
4.0E+01	5.5E+00	1.5E+03	8.0E+00	7.4E+00	7.5E+02	1.0E+01	1.0E+01	2.3E+02	7.5E+02	4.0E+01	1.5E+02	1.0E+01	1.0E+01	1.3E+01	2.0E+02	6.0E+02	1.0E+01	1.8E+00	3.6E+03	-
3.1E+01	3.9E-01	5.4E+03	1.5E+02	3.7E-01	1.0E+05	9.0E+02	9.0E+02	3.1E+03	1.5E+02	3.9E+02	1.6E+03	3.9E+02	3.9E+02	5.2E+00	7.8E+01	2.3E+04	2.3E+01	3.0E+01	1.2E+03	-
4.1E+02	1.6E+00	6.7E+04	1.9E+03	4.5E+02	1.0E+05	1.9E+03	1.9E+03	4.1E+04	-	5.1E+03	2.0E+04	5.1E+03	5.1E+03	6.7E+01	1.0E+03	1.0E+05	3.1E+02	6.4E+01	1.2E+04	-
STLC *	-	-	-	-	-	-	8.0E+01	2.5E+01	5.0E+00	1.0E+00	350e	1.0E+00	1.0E+00	7.0E+00	2.4E+01	2.5E+02	2.0E-01	-	-	-
TTLC	-	-	-	-	-	-	8.0E+03	2.5E+04	1.0E+03	3.5E+03	2.0E+03	1.0E+02	5.0E+02	7.0E+02	2.4E+03	5.0E+03	2.0E+01	-	-	-