

CALIFORNIA ENVIRONMENTAL QUALITY ACT

DRAFT NEGATIVE DECLARATION

Project Title: **Former Macy Street Site, Los Angeles, California Removal Action Workplan**

State Clearinghouse Number: **[TBC]**

Contact Person and Telephone #: **David C. Clark, P.E.**
Director Environmental Remediation
The Burlington Northern and Santa Fe Railway
Company
One Santa Fe Plaza
920 Southeast Quincy Street
Topeka, Kansas 66612-1116
(785) 435-2210

Ken Rowland
Project Manager
The Gas Company
555 W. Fifth Street
Los Angeles, California 90013-1011
(213) 244-5597

Project Location (include County): **The Site is located between Cesar Chavez Avenue on the northeast, the Rapid Transit District bus overpass on the southwest, the Los Angeles River to the southeast, and Keller Street to the northwest in the City of Los Angeles, Los Angeles County, California.**

Project Description: **The project involves removal of contaminated soils at the former Macy Street Site. The removal action measures for the project involve the excavation, removal, and transportation of polycyclic aromatic hydrocarbon (PAH) and total recoverable petroleum hydrocarbon (TRPH) contaminated soils that are above the cleanup/removal goals or to a maximum depth of 10 feet bgs, and treatment of the contaminated soils at an offsite thermal treatment facility. The estimated volume of soil to be remediated is 8,700 cubic yards. Soils impacted by other constituents of concern such as benzene and metals do not exceed the cleanup goals and, therefore, are not anticipated to result in the removal of significant additional volumes of soils. Following the removal of the contaminated soils, the Site will be backfilled, graded and compacted. The schedule to complete remediation and Site restoration activities is estimated at 2.5 to 3.0 months.**

Findings of Significant Effect on Environment: **There are no environmental factors in the Initial Study, Environmental Setting/Impact Analysis which were found to be significantly**

impacted by the project. There is no evidence before the DTSC that the proposed project will have the potential for a significant adverse effect in the environment.

(A copy of the Initial Study which supports this finding is attached)

Mitigation Measures: DTSC has determined that the project does not require any additional mitigation measures beyond those incorporated as part of the project description.

DTSC Project Manager Signature	Title	Telephone #	Date
---------------------------------------	--------------	--------------------	-------------

DTSC Branch/ Unit Chief Signature	Title	Telephone #
--	--------------	--------------------