American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
JUN 01 2006
Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages	**27**
Date Received	**05/15/2006**
Date Reported	**05/18/2006**

Job Number	Order Date	Client
37401	05/15/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 1 water and 24 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By: _____

Cyrus Razmara, Ph.D.
Laboratory Director

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38055

AETL JOB No. #37401

COMPANY: Haley + Aldrich
PHONE: 714-985-3434
PROJECT MANAGER: Tom Tatnall
FAX:
PROJECT NAME: Delphi
PROJECT #: 32486-006
SITE NAME AND ADDRESS: 1201 N. Magnolia Ave, Anaheim

ANALYSIS REQUESTED

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	8082 PCB's	Hold	metals 6010 Pb Sb As								TEST INSTRUCTIONS & COMMENTS
																		*-Requested 5/18 6pm 72hrs TAT
	DP0252B_SS	000-01	5-15-06	0800	Soil	(1) 4oz Jar	–	X		*								37401.01
2		001-01		0810				X		*								37401.02
3		002-01		0813				*	*	*								37401.03
4		003-01		0815				*	*	*								37401.04
5	DP0253B_SS	000-01		0823				X		*								37401.05
6		001-01		0825				X		*								37401.06
7		002-01		0827				*	*	*								37401.07
8		003-01		0830				*	*	*								37401.08
9	DP0256B_SS	000-01		0840				X		*								37401.09
10		001-01		0845				X		*								37401.10
11		002-01		0850				*	*									37401.11
12		003-01		0855				*	*									37401.12
13	DP0157C_SS	000-01		0955				X		X								37401.13
14		001-01		1000				X		X								37401.14
15		002-02		1001				X		X								37401.15

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS		PROPERLY COOLED Y / N / NA	
CUSTODY SEALS Y / N / NA		SAMPLES INTACT Y/ N / NA	
RECEIVED IN GOOD COND. Y / N		SAMPLES ACCEPTED Y / N	

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ 48 HRS. ☒ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: Glenn Androsko	Signature:	Signature: Thomas
Printed Name: Glenn Androsko	Printed Name:	Printed Name: Thomas Robinson
Date: 5-15-06 Time: 1344	Date: Time:	Date: 05-15-06 Time: 1600
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature: Thomas	Signature:	Signature:
Printed Name: Thomas Robinson	Printed Name:	Printed Name:
Date: 05-15-06 Time: 1344	Date: Time:	Date: 5/15-06 Time: 1600

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38056

AETL JOB No. #37401

COMPANY: Haley & Aldrich
PHONE:
PROJECT MANAGER: Tom Tatnall
FAX:
PROJECT NAME: Delphi
PROJECT #:
SITE NAME AND ADDRESS: 1201 N. Magnolia Ave, Ana.

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	PCB's 8082	Hold	metals 6010 Pb, Sb, As							TEST INSTRUCTIONS & COMMENTS
																	*-REQUESTED 5/18 6pm 72 hrs TAT
	DP0157C_SS	002.01	5-15-06	1005	Soil	4(1) 4oz Jar	–	X									37401.16
2		004.01	↓	1007	↓	↓		X									37401.17
3		006.01		1010				*	*								37401.18
4	DP0157B_SS	005.01		1015				X		*							37401.19
5		006.01		1020				*	*	*							37401.20
6		007.01		1025					*	*							37401.21
7	DP0158B_SS	005.01		1040				X		*							37401.22
8		006.01		1045				*	*								37401.23
9		007.01		1050				*	*								37401.24
10	EB_051506		↓	1250	H_2O	(1) 1L Amber (1) 500ml Poly		X		X							37401.25
11																	
12																	
13																	
14																	
15																	

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS		PROPERLY COOLED Y / N / NA	
CUSTODY SEALS Y / N / NA		SAMPLES INTACT Y/ N / NA	
RECEIVED IN GOOD COND. Y / N		SAMPLES ACCEPTED Y / N	

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ 48 HRS. ☒ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: Glenn Androsko	Signature:	Signature: Thomas
Printed Name: Glenn Androsko	Printed Name:	Printed Name: Thomas Robinson
Date: 5-15-06 Time: 1344	Date: Time:	Date: 05-15-06 Time: 1600
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature: Thomas	Signature:	Signature:
Printed Name: Thomas Robinson	Printed Name:	Printed Name: Agsht
Date: 05-15-06 Time: 1344	Date: Time:	Date: 5/15-06 Time: 1600

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

Cyrus Razmara

From: Tatnall, Thomas [TTatnall@haleyaldrich.com]
Sent: Thursday, May 18, 2006 6:08 PM
To: Cyrus Razmara; Satanek, Melanie; Reardon, Jeffrey; Hoggan, Kelly; Ross, Lloyd
Subject: RE: Summary of results of analysis of samples from project "Delphi Systems Corp"

Cyrus,

Please run the following additional tests for batch 37401 72-hr tot

PCBs
DP0157B_SS_006_01

DP0157C_SS_006_01

DP0158B_SS_006_01
DP0158B_SS_007_01

DP0252B_SS_002_01
DP0252B_SS_003_01

DP0253B_SS_002_01
DP0253B_SS_003_01

DP0256B_SS_002_01
DP0256B_SS_003_01

Pb, As, Sb

DP0157B_SS_005_01
DP0157B_SS_006_01
DP0157B_SS_007_01

DP0158B_SS_005_01

DP0252B_SS_000_01
DP0252B_SS_001_01
DP0252B_SS_002_01
DP0252B_SS_003_01

DP0253B_SS_000_01
DP0253B_SS_001_01
DP0253B_SS_002_01
DP0253B_SS_003_01

DP0256B_SS_000_01
DP0256B_SS_001_01

-----Original Message-----
From: Cyrus Razmara [mailto:cyrus@aetlab.com]
Sent: 18 May 2006 5:21 PM
To: Satanek, Melanie; Reardon, Jeffrey; Hoggan, Kelly; Ross, Lloyd; Tatnall, Thomas
Subject: Summary of results of analysis of samples from project "Delphi Systems Corp"

Dear Tom, Lloyd, Melanie, Kelly & Jeff,

Herewith please find Summary of results of analysis of samples from

project "Delphi Systems Corp" located on 1201 North Magnolia Avenue, Anaheim, CA 92801.

AETL Job No: 37401 (Includes COCs).

If you have any questions, please call me at 888-288-AETL.

Cyrus Razmara
Laboratory Director
American Environmental Testing Laboratory

NOTICE

The information contained in this communication is confidential and privileged proprietary information intended only for the individual or entity to whom it is addressed. Any unauthorized use, distribution, copying or disclosure of this communication is prohibited. If you have received this communication in error, please contact the sender immediately.

TABLE
Summary of Aqueous Analytical Results for 3 Metals(As,Pb,Sb)
1201 N. Magnolia Avenue Anaheim, CA 92801

3 Metals(As,Pb,Sb). Method: 6010BSCAN

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	EB-051506
Sample Date					5/15/2006
Laboratory Job Number					37401
Antimony	15		500	mg/L	ND<0.05
Arsenic	5.0	5.0	500	mg/L	ND<0.05
Lead	5.0	5.0	1000	mg/L	ND<0.03

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_6010BSCAN.xls

TABLE
Summary of Aqueous Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: 8082

Sample ID	Units	EB-051506
Sample Date		5/15/2006
Laboratory Job Number		37401
Aroclor-1016 (PCB-1016)	ug/L	ND<1.0
Aroclor-1221 (PCB-1221)	ug/L	ND<2.0
Aroclor-1232 (PCB-1232)	ug/L	ND<1.0
Aroclor-1242 (PCB-1242)	ug/L	ND<1.0
Aroclor-1248 (PCB-1248)	ug/L	ND<1.0
Aroclor-1254 (PCB-1254)	ug/L	ND<1.0
Aroclor-1260 (PCB-1260)	ug/L	ND<1.0
Aroclor-1262 (PCB-1262)	ug/L	ND<1.0
Aroclor-1268 (PCB-1268)	ug/L	ND<1.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_8082.xls

TABLE
Summary of Soil Analytical Results for As, Sb,and Pb Metals by ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

As, Sb,and Pb Metals by ICP. Method: (6010BSCAN)

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	DP0157B-SS-005-01	DP0157B-SS-006-01	DP0157B-SS-007-01	DP0157C-SS-000-01	DP0157C-SS-001-01	DP0157C-SS-001-02	DP0158B-SS-005-01	DP0252B-SS-000-01	DP0252B-SS-001-01
Sample Date					5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006
Laboratory Job Number					37401	37401	37401	37401	37401	37401	37401	37401	37401
Antimony	15		500	mg/Kg	ND<1.0	ND<1.0	ND<1.0	**42.7**	ND<1.0	ND<1.0	ND<1.0	**3.00J**	ND<1.0
Arsenic	5.0	5.0	500	mg/Kg	ND<0.5	ND<0.5	**1.20J**	**46.8**	**6.40**	**1.30J**	**1.05J**	**3.75J**	**1.90J**
Lead	5.0	5.0	1000	mg/Kg	**4.15J**	**12.0**	**3.10J**	**1,650**	**42.7**	**5.25**	**2.75J**	**565**	**16.3**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_6010BSCAN.xls

TABLE
Summary of Soil Analytical Results for As, Sb,and Pb Metals by ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

As, Sb,and Pb Metals by ICP. Method: (6010BSCAN)

Sample ID	STLC Limit mg/L	DP0252B-SS-002-01	DP0252B-SS-003-01	DP0253B-SS-000-01	DP0253B-SS-001-01	DP0253B-SS-002-01	DP0253B-SS-003-01	DP0256B-SS-000-01	DP0256B-SS-001-01
Sample Date		5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006
Laboratory Job Number		37401	37401	37401	37401	37401	37401	37401	37401
Antimony	15	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
Arsenic	5.0	**2.10J**	**1.35J**	**3.50J**	**2.60J**	**2.70J**	**2.20J**	**58.0**	**1.45J**
Lead	5.0	**5.15**	**3.85J**	**176**	**85.9**	**26.1**	**41.9**	**4.45J**	**2.50J**

File: SO_6010BSCAN.xls

TABLE
Summary of Soil Analytical Results for Polycnlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	DP0157B-SS-005-01	DP0157B-SS-006-01	DP0157C-SS-000-01	DP0157C-SS-001-01	DP0157C-SS-001-02	DP0157C-SS-002-01	DP0157C-SS-004-01	DP0157C-SS-006-01	DP0158B-SS-005-01	DP0158B-SS-006-01	DP0158B-SS-007-01	DP0252B-SS-000-01
Sample Date		5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006
Laboratory Job Number		37401	37401	37401	37401	37401	37401	37401	37401	37401	37401	37401	37401
Aroclor-1016 (PCB-1016)	ug/Kg	ND<125	ND<250	ND<10000	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<125	ND<25.0	ND<25.0	ND<25.0	ND<500
Aroclor-1221 (PCB-1221)	ug/Kg	ND<125	ND<250	ND<10000	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<125	ND<25.0	ND<25.0	ND<25.0	ND<500
Aroclor-1232 (PCB-1232)	ug/Kg	ND<125	ND<250	ND<10000	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<125	ND<25.0	ND<25.0	ND<25.0	ND<500
Aroclor-1242 (PCB-1242)	ug/Kg	ND<125	ND<250	ND<10000	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<125	ND<25.0	ND<25.0	ND<25.0	ND<500
Aroclor-1248 (PCB-1248)	ug/Kg	**5,320**	**11,100**	**272,000**	**489**	**330**	**581**	**550**	**4,830**	**25.5J**	**45.6J**	**52.2**	**21,700**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<125	ND<250	ND<10000	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<125	ND<25.0	ND<25.0	ND<25.0	ND<500
Aroclor-1260 (PCB-1260)	ug/Kg	ND<125	ND<250	ND<10000	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<125	ND<25.0	ND<25.0	ND<25.0	ND<500
Aroclor-1262 (PCB-1262)	ug/Kg	ND<125	ND<250	ND<10000	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<125	ND<25.0	ND<25.0	ND<25.0	ND<500
Aroclor-1268 (PCB-1268)	ug/Kg	ND<125	ND<250	ND<10000	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<125	ND<25.0	ND<25.0	ND<25.0	ND<500

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_8082.xls

TABLE
Summary of Soil Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	DP0252B-SS-001-01	DP0252B-SS-002-01	DP0252B-SS-003-01	DP0253B-SS-000-01	DP0253B-SS-001-01	DP0253B-SS-002-01	DP0253B-SS-003-01	DP0256B-SS-000-01	DP0256B-SS-001-01	DP0256B-SS-002-01	DP0256B-SS-003-01
Sample Date		5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006	5/15/2006
Laboratory Job Number		37401	37401	37401	37401	37401	37401	37401	37401	37401	37401	37401
Aroclor-1016 (PCB-1016)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<1250	ND<500	ND<250	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<1250	ND<500	ND<250	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<1250	ND<500	ND<250	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<1250	ND<500	ND<250	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1248 (PCB-1248)	ug/Kg	**853**	**241**	**56.8**	**33,900**	**36,700**	**26,500**	**16,500**	**263**	**25.0J**	ND<25.0	**163**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<1250	ND<500	ND<250	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<1250	ND<500	ND<250	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<1250	ND<500	ND<250	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<1250	ND<1250	ND<500	ND<250	ND<25.0	ND<25.0	ND<25.0	ND<25.0

File: SO_8082.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051606

Our Lab I.D.			Method Blank				
Client Sample I.D.							
Date Sampled							
Date Prepared			05/16/2006				
Preparation Method			3550B				
Date Analyzed			05/17/2006				
Matrix			Soil				
Units			ug/Kg				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	25.0	50.0	ND				
Aroclor-1221 (PCB-1221)	25.0	50.0	ND				
Aroclor-1232 (PCB-1232)	25.0	50.0	ND				
Aroclor-1242 (PCB-1242)	25.0	50.0	ND				
Aroclor-1248 (PCB-1248)	25.0	50.0	ND				
Aroclor-1254 (PCB-1254)	25.0	50.0	ND				
Aroclor-1260 (PCB-1260)	25.0	50.0	ND				
Aroclor-1262 (PCB-1262)	25.0	50.0	ND				
Aroclor-1268 (PCB-1268)	25.0	50.0	ND				

Our Lab I.D.							
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	30-150		97				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 3
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051606

Our Lab I.D.			**37401.01**
Client Sample I.D.			DP0252B-SS-000-01
Date Sampled			05/15/2006
Date Prepared			05/16/2006
Preparation Method			3550B
Date Analyzed			05/17/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			20
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	500	1000	ND
Aroclor-1221 (PCB-1221)	500	1000	ND
Aroclor-1232 (PCB-1232)	500	1000	ND
Aroclor-1242 (PCB-1242)	500	1000	ND
Aroclor-1248 (PCB-1248)	500	1000	21,700
Aroclor-1254 (PCB-1254)	500	1000	ND
Aroclor-1260 (PCB-1260)	500	1000	ND
Aroclor-1262 (PCB-1262)	500	1000	ND
Aroclor-1268 (PCB-1268)	500	1000	ND

Our Lab I.D.		**37401.01**
Surrogates	**%Rec.Limit**	**% Rec.**
Tetrachloro-m-xylene	30-150	131

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **4**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051606

Our Lab I.D.			**37401.02**
Client Sample I.D.			DP0252B-SS-001-01
Date Sampled			05/15/2006
Date Prepared			05/16/2006
Preparation Method			3550B
Date Analyzed			05/17/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			1
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	853
Aroclor-1254 (PCB-1254)	25.0	50.0	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND

Our Lab I.D.		**37401.02**
Surrogates	**%Rec.Limit**	**% Rec.**
Tetrachloro-m-xylene	30-150	114

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			Method Blank	37401.03	37401.04		
Client Sample I.D.				DP0252B-SS-002-01	DP0252B-SS-003-01		
Date Sampled				05/15/2006	05/15/2006		
Date Prepared			05/19/2006	05/19/2006	05/19/2006		
Preparation Method			3550B	3550B	3550B		
Date Analyzed			05/19/2006	05/19/2006	05/19/2006		
Matrix			Soil	Soil	Soil		
Units			ug/Kg	ug/Kg	ug/Kg		
Dilution Factor			1	1	1		
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**		
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND		
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND		
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND		
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND		
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	241	56.8		
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND		
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND		
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND		
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND		

Our Lab I.D.				37401.03	37401.04		
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**		
Tetrachloro-m-xylene	30-150		100	126	119		

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 6
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051606

Our Lab I.D.			37401.05	37401.06			
Client Sample I.D.			DP0253B-SS-000-01	DP0253B-SS-001-01			
Date Sampled			05/15/2006	05/15/2006			
Date Prepared			05/16/2006	05/16/2006			
Preparation Method			3550B	3550B			
Date Analyzed			05/17/2006	05/17/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			50	50			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	1250	2500	ND	ND			
Aroclor-1221 (PCB-1221)	1250	2500	ND	ND			
Aroclor-1232 (PCB-1232)	1250	2500	ND	ND			
Aroclor-1242 (PCB-1242)	1250	2500	ND	ND			
Aroclor-1248 (PCB-1248)	1250	2500	33,900	36,700			
Aroclor-1254 (PCB-1254)	1250	2500	ND	ND			
Aroclor-1260 (PCB-1260)	1250	2500	ND	ND			
Aroclor-1262 (PCB-1262)	1250	2500	ND	ND			
Aroclor-1268 (PCB-1268)	1250	2500	ND	ND			

Our Lab I.D.			37401.05	37401.06			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		0 S8	0 S8			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 7
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			**37401.07**
Client Sample I.D.			DP0253B-SS-002-01
Date Sampled			05/15/2006
Date Prepared			05/19/2006
Preparation Method			3550B
Date Analyzed			05/23/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			20
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	500	1000	ND
Aroclor-1221 (PCB-1221)	500	1000	ND
Aroclor-1232 (PCB-1232)	500	1000	ND
Aroclor-1242 (PCB-1242)	500	1000	ND
Aroclor-1248 (PCB-1248)	500	1000	26,500
Aroclor-1254 (PCB-1254)	500	1000	ND
Aroclor-1260 (PCB-1260)	500	1000	ND
Aroclor-1262 (PCB-1262)	500	1000	ND
Aroclor-1268 (PCB-1268)	500	1000	ND

Our Lab I.D.		**37401.07**
Surrogates	**%Rec.Limit**	**% Rec.**
Tetrachloro-m-xylene	30-150	78

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 8
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			37401.08
Client Sample I.D.			DP0253B-SS-003-01
Date Sampled			05/15/2006
Date Prepared			05/19/2006
Preparation Method			3550B
Date Analyzed			05/23/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			10
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	250	500	ND
Aroclor-1221 (PCB-1221)	250	500	ND
Aroclor-1232 (PCB-1232)	250	500	ND
Aroclor-1242 (PCB-1242)	250	500	ND
Aroclor-1248 (PCB-1248)	250	500	16,500
Aroclor-1254 (PCB-1254)	250	500	ND
Aroclor-1260 (PCB-1260)	250	500	ND
Aroclor-1262 (PCB-1262)	250	500	ND
Aroclor-1268 (PCB-1268)	250	500	ND

Our Lab I.D.		37401.08
Surrogates	**%Rec.Limit**	**% Rec.**
Tetrachloro-m-xylene	30-150	104

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 9
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051606

Our Lab I.D.			37401.09	37401.10			
Client Sample I.D.			DP0256B-SS-000-01	DP0256B-SS-001-01			
Date Sampled			05/15/2006	05/15/2006			
Date Prepared			05/16/2006	05/16/2006			
Preparation Method			3550B	3550B			
Date Analyzed			05/17/2006	05/17/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND			
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND			
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND			
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND			
Aroclor-1248 (PCB-1248)	25.0	50.0	263	25.0J			
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND			
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND			
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND			
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND			

Our Lab I.D.			37401.09	37401.10			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		121	118			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 10
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			37401.11	37401.12			
Client Sample I.D.			DP0256B-SS-002-01	DP0256B-SS-003-01			
Date Sampled			05/15/2006	05/15/2006			
Date Prepared			05/19/2006	05/19/2006			
Preparation Method			3550B	3550B			
Date Analyzed			05/19/2006	05/20/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND			
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND			
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND			
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND			
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	163			
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND			
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND			
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND			
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND			

Our Lab I.D.			37401.11	37401.12			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		126	145			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 11
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051606

Our Lab I.D.			**37401.13**				
Client Sample I.D.			DP0157C-SS-000-01				
Date Sampled			05/15/2006				
Date Prepared			05/16/2006				
Preparation Method			3550B				
Date Analyzed			05/17/2006				
Matrix			Soil				
Units			ug/Kg				
Dilution Factor			400				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	10000	20000	ND				
Aroclor-1221 (PCB-1221)	10000	20000	ND				
Aroclor-1232 (PCB-1232)	10000	20000	ND				
Aroclor-1242 (PCB-1242)	10000	20000	ND				
Aroclor-1248 (PCB-1248)	10000	20000	272,000				
Aroclor-1254 (PCB-1254)	10000	20000	ND				
Aroclor-1260 (PCB-1260)	10000	20000	ND				
Aroclor-1262 (PCB-1262)	10000	20000	ND				
Aroclor-1268 (PCB-1268)	10000	20000	ND				

Our Lab I.D.			**37401.13**				
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	30-150		0 S8				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **12**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051606

Our Lab I.D.			37401.14	37401.15	37401.16	37401.17	
Client Sample I.D.			DP0157C-SS-001-01	DP0157C-SS-001-02	DP0157C-SS-002-01	DP0157C-SS-004-01	
Date Sampled			05/15/2006	05/15/2006	05/15/2006	05/15/2006	
Date Prepared			05/16/2006	05/16/2006	05/16/2006	05/16/2006	
Preparation Method			3550B	3550B	3550B	3550B	
Date Analyzed			05/17/2006	05/17/2006	05/17/2006	05/17/2006	
Matrix			Soil	Soil	Soil	Soil	
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	
Dilution Factor			1	1	1	1	
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND	ND	
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND	ND	
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND	ND	
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND	ND	
Aroclor-1248 (PCB-1248)	25.0	50.0	489	330	581	550	
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND	ND	
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND	ND	
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND	ND	
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND	ND	

Our Lab I.D.			37401.14	37401.15	37401.16	37401.17	
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	
Tetrachloro-m-xylene	30-150		118	128	118	110	

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 13
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			**37401.18**
Client Sample I.D.			DP0157C-SS-006-01
Date Sampled			05/15/2006
Date Prepared			05/19/2006
Preparation Method			3550B
Date Analyzed			05/23/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			5
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	125	250	ND
Aroclor-1221 (PCB-1221)	125	250	ND
Aroclor-1232 (PCB-1232)	125	250	ND
Aroclor-1242 (PCB-1242)	125	250	ND
Aroclor-1248 (PCB-1248)	125	250	4,830
Aroclor-1254 (PCB-1254)	125	250	ND
Aroclor-1260 (PCB-1260)	125	250	ND
Aroclor-1262 (PCB-1262)	125	250	ND
Aroclor-1268 (PCB-1268)	125	250	ND

Our Lab I.D.			**37401.18**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		105

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **14**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051606

Our Lab I.D.			**37401.19**				
Client Sample I.D.			DP0157B-SS-005-01				
Date Sampled			05/15/2006				
Date Prepared			05/16/2006				
Preparation Method			3550B				
Date Analyzed			05/17/2006				
Matrix			Soil				
Units			ug/Kg				
Dilution Factor			5				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	125	250	ND				
Aroclor-1221 (PCB-1221)	125	250	ND				
Aroclor-1232 (PCB-1232)	125	250	ND				
Aroclor-1242 (PCB-1242)	125	250	ND				
Aroclor-1248 (PCB-1248)	125	250	5,320				
Aroclor-1254 (PCB-1254)	125	250	ND				
Aroclor-1260 (PCB-1260)	125	250	ND				
Aroclor-1262 (PCB-1262)	125	250	ND				
Aroclor-1268 (PCB-1268)	125	250	ND				

Our Lab I.D.			**37401.19**				
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	30-150		129				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 15
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			**37401.20**
Client Sample I.D.			DP0157B-SS-006-01
Date Sampled			05/15/2006
Date Prepared			05/19/2006
Preparation Method			3550B
Date Analyzed			05/23/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			10
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	250	500	ND
Aroclor-1221 (PCB-1221)	250	500	ND
Aroclor-1232 (PCB-1232)	250	500	ND
Aroclor-1242 (PCB-1242)	250	500	ND
Aroclor-1248 (PCB-1248)	250	500	11,100
Aroclor-1254 (PCB-1254)	250	500	ND
Aroclor-1260 (PCB-1260)	250	500	ND
Aroclor-1262 (PCB-1262)	250	500	ND
Aroclor-1268 (PCB-1268)	250	500	ND

Our Lab I.D.			**37401.20**
Surrogates	**%Rec.Limit**		**% Rec.**
Tetrachloro-m-xylene	30-150		112

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 16
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051606

Our Lab I.D.			**37401.22**
Client Sample I.D.			DP0158B-SS-005-01
Date Sampled			05/15/2006
Date Prepared			05/16/2006
Preparation Method			3550B
Date Analyzed			05/17/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			1
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	25.5J
Aroclor-1254 (PCB-1254)	25.0	50.0	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND

Our Lab I.D.		**37401.22**
Surrogates	**%Rec.Limit**	**% Rec.**
Tetrachloro-m-xylene	30-150	116

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **17**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			**37401.23**	**37401.24**			
Client Sample I.D.			DP0158B-SS-006-01	DP0158B-SS-007-01			
Date Sampled			05/15/2006	05/15/2006			
Date Prepared			05/19/2006	05/19/2006			
Preparation Method			3550B	3550B			
Date Analyzed			05/20/2006	05/20/2006			
Matrix			Soil	Soil			
Units			ug/Kg	ug/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND			
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND			
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND			
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND			
Aroclor-1248 (PCB-1248)	25.0	50.0	45.6J	52.2			
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND			
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND			
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND			
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND			

Our Lab I.D.			**37401.23**	**37401.24**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		116	125			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page 18
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Analytes			Antimony	Arsenic	Lead	
Methods of Analyses			(6010BSCAN)	(6010BSCAN)	(6010BSCAN)	
Date Prepared			05/22/2006	05/22/2006	05/22/2006	
Date Analyzed			05/22/2006	05/22/2006	05/22/2006	
Matrix			Soil	Soil	Soil	
QC Batch Number			052206	052206	052206	
Units			mg/Kg	mg/Kg	mg/Kg	
Method Detection Limit			1.0	0.5	0.5	
Practical Quantitation Limit			5.0	5.0	5.0	
Dilution Factor			1	1	1	
Lab ID	**Sample ID**	**Sampled**	**Results**	**Results**	**Results**	
37401.01	DP0252B-SS-000-01	05/15/2006	3.00J	3.75J	565	
37401.02	DP0252B-SS-001-01	05/15/2006	ND	1.90J	16.3	
37401.03	DP0252B-SS-002-01	05/15/2006	ND	2.10J	5.15	
37401.04	DP0252B-SS-003-01	05/15/2006	ND	1.35J	3.85J	
37401.05	DP0253B-SS-000-01	05/15/2006	ND	3.50J	176	
37401.06	DP0253B-SS-001-01	05/15/2006	ND	2.60J	85.9	
37401.07	DP0253B-SS-002-01	05/15/2006	ND	2.70J	26.1	
37401.08	DP0253B-SS-003-01	05/15/2006	ND	2.20J	41.9	
37401.09	DP0256B-SS-000-01	05/15/2006	ND	58.0	4.45J	
37401.10	DP0256B-SS-001-01	05/15/2006	ND	1.45J	2.50J	
N/A	Method Blank	05/15/2006	ND	ND	ND	

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page 19
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Analytes			Antimony	Arsenic	Lead	
Methods of Analyses			(6010BSCAN)	(6010BSCAN)	(6010BSCAN)	
Date Prepared			05/17/2006	05/17/2006	05/17/2006	
Date Analyzed			05/17/2006	05/17/2006	05/17/2006	
Matrix			Soil	Soil	Soil	
QC Batch Number			051706	051706	051706	
Units			mg/Kg	mg/Kg	mg/Kg	
Method Detection Limit			1.0	0.5	0.5	
Practical Quantitation Limit			5.0	5.0	5.0	
Dilution Factor			1	1	1	
Lab ID	**Sample ID**	**Sampled**	**Results**	**Results**	**Results**	
37401.13	DP0157C-SS-000-01	05/15/2006	42.7	46.8	1,650	
37401.14	DP0157C-SS-001-01	05/15/2006	ND	6.40	42.7	
37401.15	DP0157C-SS-001-02	05/15/2006	ND	1.30J	5.25	

Analytes			Antimony	Arsenic	Lead	
Methods of Analyses			(6010BSCAN)	(6010BSCAN)	(6010BSCAN)	
Date Prepared			05/22/2006	05/22/2006	05/22/2006	
Date Analyzed			05/22/2006	05/22/2006	05/22/2006	
Matrix			Soil	Soil	Soil	
QC Batch Number			052206	052206	052206	
Units			mg/Kg	mg/Kg	mg/Kg	
Method Detection Limit			1.0	0.5	0.5	
Practical Quantitation Limit			5.0	5.0	5.0	
Dilution Factor			1	1	1	
Lab ID	**Sample ID**	**Sampled**	**Results**	**Results**	**Results**	
37401.19	DP0157B-SS-005-01	05/15/2006	ND	ND	4.15J	
37401.20	DP0157B-SS-006-01	05/15/2006	ND	ND	12.0	
37401.21	DP0157B-SS-007-01	05/15/2006	ND	1.20J	3.10J	
37401.22	DP0158B-SS-005-01	05/15/2006	ND	1.05J	2.75J	

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 20
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051706

Our Lab I.D.			Method Blank	37401.25			
Client Sample I.D.				EB-051506			
Date Sampled				05/15/2006			
Date Prepared			05/17/2006	05/17/2006			
Preparation Method			3510C	3510C			
Date Analyzed			05/17/2006	05/17/2006			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	1.0	5.0	ND	ND			
Aroclor-1221 (PCB-1221)	2.0	10.0	ND	ND			
Aroclor-1232 (PCB-1232)	1.0	5.0	ND	ND			
Aroclor-1242 (PCB-1242)	1.0	5.0	ND	ND			
Aroclor-1248 (PCB-1248)	1.0	5.0	ND	ND			
Aroclor-1254 (PCB-1254)	1.0	5.0	ND	ND			
Aroclor-1260 (PCB-1260)	1.0	5.0	ND	ND			
Aroclor-1262 (PCB-1262)	1.0	5.0	ND	ND			
Aroclor-1268 (PCB-1268)	1.0	5.0	ND	ND			

Our Lab I.D.				37401.25			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		65	72			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page 21
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Analytes			Antimony	Arsenic	Lead	
Methods of Analyses			6010BSCAN	6010BSCAN	6010BSCAN	
Date Prepared			05/17/2006	05/17/2006	05/17/2006	
Date Analyzed			05/17/2006	05/17/2006	05/17/2006	
Matrix			Aqueous	Aqueous	Aqueous	
QC Batch Number			051706	051706	051706	
Units			mg/L	mg/L	mg/L	
Method Detection Limit			0.05	0.05	0.03	
Practical Quantitation Limit			0.10	0.10	0.10	
Dilution Factor			1	1	1	
Lab ID	**Sample ID**	**Sampled**	**Results**	**Results**	**Results**	
37401.25	EB-051506	05/15/2006	ND	ND	ND	
N/A	Method Blank	05/15/2006	ND	ND	ND	

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 22
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: 6010BSCAN, 3 Metals(As,Pb,Sb)

QUALITY CONTROL REPORT

QC Batch No: 051706 Sample Spiked: 37358.19 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	0.019	1.00	0.86	84	1.00	0.88	86	2.4	80-120	<15
Arsenic	0.007	1.00	0.98	97	1.00	0.99	98	1.0	80-120	<15
Lead	0.006	1.00	0.92	91	1.00	0.93	92	1.1	80-120	<15

QC Batch No: 051706 Sample Spiked: 37358.19 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.87	87	80-120						
Arsenic	1.00	1.03	103	80-120						
Lead	1.00	1.00	100	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 23
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 051706 Sample Spiked: 051706 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	2.50	2.78	111	2.50	2.68	107	3.7	75-125	<20

QC Batch No: 051706 Sample Spiked: 051706 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	2.50	2.70	108	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **24**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (6010BSCAN), As, Sb,and Pb Metals by ICP

QUALITY CONTROL REPORT

QC Batch No: 051706 Sample Spiked: 37370.01 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	0.039	1.00	0.89	85	1.00	0.88	84	1.2	80-120	<15
Arsenic	0.033	1.00	0.96	93	1.00	0.95	92	1.1	80-120	<15
Lead	1.410	1.00	2.29	88	1.00	2.27	86	2.3	80-120	<15

QC Batch No: 051706 Sample Spiked: 37370.01 QC Prepared: 05/17/2006 QC Analyzed: 05/17/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.83	83	80-120						
Arsenic	1.00	0.94	94	80-120						
Lead	1.00	0.94	94	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 25
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (6010BSCAN), As, Sb,and Pb Metals by ICP

QUALITY CONTROL REPORT

QC Batch No: 052206 Sample Spiked: 37447.10 QC Prepared: 05/22/2006 QC Analyzed: 05/22/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	ND	1.00	0.89	89	1.00	0.89	89	<1	80-120	<15
Arsenic	0.044	1.00	0.95	91	1.00	0.95	91	<1	80-120	<15
Lead	1.180	1.00	2.00	82	1.00	2.00	82	<1	80-120	<15

QC Batch No: 052206 Sample Spiked: 37447.10 QC Prepared: 05/22/2006 QC Analyzed: 05/22/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.83	83	80-120						
Arsenic	1.00	0.96	96	80-120						
Lead	1.00	0.89	89	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **26**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 051606 Sample Spiked: 051606 QC Prepared: 05/16/2006 QC Analyzed: 05/17/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	510.00	102	500.00	545.00	109	6.6	75-125	<20

QC Batch No: 051606 Sample Spiked: 051606 QC Prepared: 05/16/2006 QC Analyzed: 05/17/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	470.00	94	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 27
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37401	05/15/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 051906 Sample Spiked: 051906 QC Prepared: 05/19/2006 QC Analyzed: 05/19/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	415.00	83	500.00	405.00	81	2.4	75-125	<20

QC Batch No: 051906 Sample Spiked: 051906 QC Prepared: 05/19/2006 QC Analyzed: 05/19/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	400.00	80	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages 2
Date Received 04/11/2006
Date Reported 05/23/2006

Job Number	Order Date	Client
37432	05/17/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

RECEIVED
MAY 2 5 2006
Haley & Aldrich, Inc.

Enclosed please find results of analyses of 1 soil sample which was analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By:

Cyrus Razmara, Ph.D.
Laboratory Director

HALEY & ALDRICH
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821
(714) 985-3434 Fax (714) 985-3433

CHAIN OF CUSTODY FORM

Job# 37432 ~~# 36953~~ 2436

Project Name/Address: Delphi -Anaheim

Project /PO Number: 32486-006

Project Manager: T. Tathall

Phone Number:

Sampled by (signature): K. Hess

Fax Number:

Lab Name: AETL

Lab Address: * Request 5/17 72 hrs TAT.

Sample Identification	Lab ID No.	Sample Matrix	Container Type	# of Cont.	Sampling Date	Sampling Time	Preservatives	6010B Pb As Se	8082 PCBs	Hold	6010B (As)					Special Instructions
DP0168-SS-002-01		S	Sleeve	1	4-11-06	1453				X	*		37432.01			~~36953.12~~ A1
003-01						1454				X						36953.13
DP0178-SS-000-01						1500		X								36953.14
001-01						1501		X								36953.15
002-01						1502				X						36953.16
003-01						1503				X						36953.17
DP0252-SS-000-01						1510			X							36953.18
001-01						1511			X							36953.19
002-01						1512				X						36953.20
003-01						1513				X						36953.21
DP0251-SS-000-01						1520			X							36953.22
001-01						1521			X							36953.23
001-02						1522			X							36953.24
002-01						1523				X						36953.25
003-01						1524				X						36953.26

Relinquished By:	Date/Time:	Received By:	Date/Time:
Glenn Anderson	4-11-06 1600	[signature]	4/11/06 1600
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By: [signature]	Date/Time: 4/11/06 1740	Received in Lab By: [signature]	Date/Time: 4/11-06 1740

Turnaround Time (Check): 24 Hours ___ 5 Days ✓ 48 Hours ___ 10 Days ___ 72 Hours ___ Other ___

Sample Integrity (Check): On Ice ___ Intact ___

Jim Lin

From: Cyrus Razmara [cyrus@aetlab.com]
Sent: Wednesday, May 17, 2006 4:04 PM
To: Jim Lin
Subject: FW: Delphi Additional Analysis

-----Original Message-----
From: Hoggan, Kelly [mailto:KHoggan@haleyaldrich.com]
Sent: Wednesday, May 17, 2006 3:39 PM
To: Cyrus Razmara
Cc: Androsko, Glenn
Subject: Delphi Additional Analysis

Cyrus,
Can you please run sample DP0168_SS_002_01 for Arsenic 6010B with 72 hr TOT. It was sampled 4-11-06 from job # 36953.

Thanks

Kelly Hoggan
Geologist
Haley & Aldrich, Inc.
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821-6723
Direct Line: 714.984.2104
Cell: 714.709.3072
Office: 714.985.3434
Fax: 714.985.3433
KHoggan@HaleyAldrich.com
www.HaleyAldrich.com

NOTICE

The information contained in this communication is confidential and privileged proprietary information intended only for the individual or entity to whom it is addressed. Any unauthorized use, distribution, copying or disclosure of this communication is prohibited. If you have received this communication in error, please contact the sender immediately.

TABLE
Summary of Soil Analytical Results for Arsenic by ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

Arsenic by ICP. Method: (6010BSCAN)

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	DP0168-SS-002-01
Sample Date					4/11/2006
Laboratory Job Number					37432
Arsenic	5.0	5.0	500	mg/Kg	**1.65J**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_6010BSCAN.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37432	04/11/2006	H&A

Method: (6010BSCAN), Arsenic by ICP

QC Batch No: 051906

Our Lab I.D.			Method Blank	37432.01			
Client Sample I.D.				DP0168-SS-0 02-01			
Date Sampled				04/11/2006			
Date Prepared			05/19/2006	05/19/2006			
Preparation Method			3050B	3050B			
Date Analyzed			05/19/2006	05/19/2006			
Matrix			Soil	Soil			
Units			mg/Kg	mg/Kg			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Arsenic	0.5	5.0	ND	1.65J			

QUALITY CONTROL REPORT

QC Batch No: 051906 Sample Spiked: 37432.01 QC Prepared: 05/19/2006 QC Analyzed: 05/19/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Arsenic	0.033	1.00	0.88	85	1.00	0.87	84	1.2	80-120	<15

QC Batch No: 051906 Sample Spiked: 37432.01 QC Prepared: 05/19/2006 QC Analyzed: 05/19/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Arsenic	1.00	0.93	93	80-120						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO:
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED

JUN 0 2 2006

Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attention: Tom Tatnall

Number of Pages	**7**
Date Received	**05/12/2006**
Date Reported	**05/23/2006**

Job Number	Order Date	Client
37449	05/18/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 5 soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By:

Cyrus Razmara, Ph.D.
Laboratory Director

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38021

AETL JOB No. 37449 ~~37390~~

Page 1 of ~~1~~ 2

COMPANY: Haley & Aldrich
PHONE: 714-985-3436
PROJECT MANAGER: Tom Tatnall
FAX:
PROJECT NAME: Delphi
PROJECT #:
SITE NAME AND ADDRESS: 1201 N. Magnolia Ave Anaheim

TEST INSTRUCTIONS & COMMENTS: * 72h rush (05/18/06) due on 05/23/06

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	PCB 8082	VOC's 8260	HOLD		8082 (PCB's)		Pb, As, TB				TEST INSTRUCTIONS & COMMENTS
	G50049-SS-002-01	37390.01	5/12/06	1418	SS	1		X		X								
2	G50025F-SS-002-01	37390.02		1430	SS	5		X	X									
3	G50025F-SS-001-01	37390.03		1433	SS	5		X	X	X								
4	G50025F-SS-002-01	37390.04		1437	SS	1		X		X								
5	DP0002F-SS-002-01	37390.05		1446	SS	1		X										
6	DP0003F-SS-001-01	37390.06		1447	SS	1		X		X								
7	DP0002F-SS-002-01	37390.07		1448	SS	1		X		X								
8	DP0156B-SS-003-01	37390.08		1459		1		X										
9	DP0156B-SS-004-01	~~37390.09~~		1501		1		X		X		*		*				37449.01
10	DP0156C-SS-002-01	37390.10		1505		1		X										
11	DP0156C-SS-001-01	37390.11		1506		1		X										
12	DP0156C-SS-002-01	~~37390.12~~		1508		1		X		X		*						37449.02
13	DP0156C-SS-003-01	~~37390.13~~		1509		1		X		X		*						37449.03
14	DP0013D-SS-002-01	37390.14		1517		1		X										
15	DP0013D-SS-001-01	37390.15		1520		1		X		X								

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS	23	PROPERLY COOLED (Y) N / NA	
CUSTODY SEALS Y / N (NA)		SAMPLES INTACT (Y) N / NA	
RECEIVED IN GOOD COND. (Y) N		SAMPLES ACCEPTED (Y) N	

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ 48 HRS. ☒ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: Glenn Androsku	Signature:	Signature:
Printed Name: Glenn Androsku	Printed Name:	Printed Name: Carlos Gonzalez
Date: 5-12-06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature:	Signature:	Signature:
Printed Name: Carlos Gonzalez	Printed Name:	Printed Name:
Date: 5-12-06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38020

AETL JOB No. 37449 ~~37390~~

COMPANY: Haley & Aldrich
PHONE: 714-985-3436
PROJECT MANAGER: Tom Tatnall
FAX:
PROJECT NAME: Delphi
PROJECT #:
SITE NAME AND ADDRESS: 1201 N. Magnolia Ave Anaheim

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	PCB 8082	HOLD			8082 (PCBs)					TEST INSTRUCTIONS & COMMENTS
	G50043-SS-003-01	37390.16	5/12/06	1253	SS	1		X									
2	G50043-SS-004-01	~~37390.17~~		1255	SS	1		~~X~~	~~X~~			*					37449.04
3	G50044-SS-003-01	37390.18		1302	SS	1		X									
4	G50044-SS-004-01	~~37390.19~~		1303	SS	1		~~X~~	~~X~~			*					37449.05
5	G50046-SS-000-01	37390.20		1316	SS	1		X									
6	G50046-SS-001-01	37390.21		1318	SS	1		X									
7	G50046-SS-002-01	37390.22		1319	SS	1		~~X~~	X								
8	G50047-SS-000-01	37390.23		1350	SS	1		X									
9	G50047-SS-001-01	37390.24		1352	SS	1		X									
10	G50047-SS-002-01	37390.25		1354	SS	1		~~X~~	X								
11	G50048-SS-000-01	37390.26		1404	SS	1		X									
12	G50048-SS-001-01	37390.27		1406	SS	1		X									
13	G50048-SS-002-01	37390.28		1407	SS	1		~~X~~	X								
14	G50049-SS-000-01	37390.29		1416	SS	1		X									
15	G50049-SS-001-01	37390.30	✓	1417	SS	1		X									

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS	15	PROPERLY COOLED (Y) N / NA	
CUSTODY SEALS Y / N (NA)		SAMPLES INTACT (Y) N / NA	
RECEIVED IN GOOD COND (Y) N		SAMPLES ACCEPTED (Y) N	

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ ~~48~~ HRS. ☒ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: [signature]	Signature:	Signature: [signature]
Printed Name: Glenn Androsiglio	Printed Name:	Printed Name: Carlos Rodriguez
Date: 5-12-06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730
RECEIVED BY: 1.	**RECEIVED BY: 2.**	**RECEIVED BY LABORATORY: 3.**
Signature: [signature]	Signature:	Signature: [signature]
Printed Name: Carlos Rodriguez	Printed Name:	Printed Name: [signature]
Date: 5-12-06 Time: 1545	Date: Time:	Date: 5/12/06 Time: 1730

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

Cyrus Razmara

From: Tatnall, Thomas [TTatnall@haleyaldrich.com]
Sent: Thursday, May 18, 2006 11:21 AM
To: Cyrus Razmara
Cc: Hoggan, Kelly; Satanek, Melanie; Reardon, Jeffrey
Subject: RE: Additional Delphi Analyses

-----Original Message-----
From: Tatnall, Thomas
Sent: 18 May 2006 11:16 AM
To: Cyrus Razmara
Cc: Hoggan, Kelly; Satanek, Melanie; Reardon, Jeffrey
Subject: Additional Delphi Analyses

Cyrus,

Please run the following additional samples 72 hr tot

Lab No. 37390 Collected 5/12 for PCBs

DP0156B_SS_004_01
DP0156C_SS_004_01 Correction DP0156C_SS_002_01 & DP0156C_SS_003_01 I don't think we have 4' sample.
GS0043_SS_004_01
GS0044_SS_004_01

Lead, Arsenic & Antimony
DP0156B_SS_004_01

Thomas S. Tatnall, C.E.G, R.E.A
Project Manager
Haley and Aldrich, Inc.
500 S. Kraemer Blvd., Suite 370
Brea, CA 92821-6723

Direct 714. 984. 2105
Office 714. 985. 3434
Fax 714. 985. 3433
Cell 714. 709. 3722
TTatnall@HaleyAldrich.com
HaleyAldrich.com

TABLE
Summary of Soil Analytical Results for As, Sb,and Pb Metals by ICP
1201 N. Magnolia Avenue Anaheim, CA 92801

As, Sb,and Pb Metals by ICP. Method: (6010BSCAN)

Sample ID	STLC Limit mg/L	TCLP Limit mg/L	TTLC Limit mg/Kg	Units	DP0156B-SS-004-01
Sample Date					5/12/2006
Laboratory Job Number					37449
Antimony	15		500	mg/Kg	**29.9**
Arsenic	5.0	5.0	500	mg/Kg	**10.7**
Lead	5.0	5.0	1000	mg/Kg	**476**

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_6010BSCAN.xls

TABLE
Summary of Soil Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	DP0156B-SS-004-01	DP0156C-SS-002-01	DP0156C-SS-003-01	GS0043-SS-004-01	GS0044-SS-004-01
Sample Date		5/12/2006	5/12/2006	5/12/2006	5/12/2006	5/12/2006
Laboratory Job Number		37449	37449	37449	37449	37449
Aroclor-1016 (PCB-1016)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1248 (PCB-1248)	ug/Kg	**29,900**	**570**	**364**	**496**	**106**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<500	ND<25.0	ND<25.0	ND<25.0	ND<25.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SO_8082.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37449	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			Method Blank				
Client Sample I.D.							
Date Sampled							
Date Prepared			05/19/2006				
Preparation Method			3550B				
Date Analyzed			05/19/2006				
Matrix			Soil				
Units			ug/Kg				
Dilution Factor			1				
Analytes	**MDL**	**PQL**	**Results**				
Aroclor-1016 (PCB-1016)	25.0	50.0	ND				
Aroclor-1221 (PCB-1221)	25.0	50.0	ND				
Aroclor-1232 (PCB-1232)	25.0	50.0	ND				
Aroclor-1242 (PCB-1242)	25.0	50.0	ND				
Aroclor-1248 (PCB-1248)	25.0	50.0	ND				
Aroclor-1254 (PCB-1254)	25.0	50.0	ND				
Aroclor-1260 (PCB-1260)	25.0	50.0	ND				
Aroclor-1262 (PCB-1262)	25.0	50.0	ND				
Aroclor-1268 (PCB-1268)	25.0	50.0	ND				

Our Lab I.D.							
Surrogates	**%Rec.Limit**		**% Rec.**				
Tetrachloro-m-xylene	30-150		100				

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 3
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37449	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			**37449.01**
Client Sample I.D.			DP0156B-SS-004-01
Date Sampled			05/12/2006
Date Prepared			05/19/2006
Preparation Method			3550B
Date Analyzed			05/23/2006
Matrix			Soil
Units			ug/Kg
Dilution Factor			20
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	500	1000	ND
Aroclor 1221 (PCB-1221)	500	1000	ND
Aroclor-1232 (PCB-1232)	500	1000	ND
Aroclor-1242 (PCB-1242)	500	1000	ND
Aroclor-1248 (PCB-1248)	500	1000	29,900
Aroclor-1254 (PCB-1254)	500	1000	ND
Aroclor-1260 (PCB-1260)	500	1000	ND
Aroclor-1262 (PCB-1262)	500	1000	ND
Aroclor-1268 (PCB-1268)	500	1000	ND

Our Lab I.D.		**37449.01**
Surrogates	**%Rec.Limit**	**% Rec.**
Tetrachloro-m-xylene	30-150	110

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **4**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37449	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 051906

Our Lab I.D.			37449.02	37449.03	37449.04	37449.05
Client Sample I.D.			DP0156C-SS-002-01	DP0156C-SS-003-01	GS0043-SS-004-01	GS0044-SS-004-01
Date Sampled			05/12/2006	05/12/2006	05/12/2006	05/12/2006
Date Prepared			05/19/2006	05/19/2006	05/19/2006	05/19/2006
Preparation Method			3550B	3550B	3550B	3550B
Date Analyzed			05/19/2006	05/19/2006	05/19/2006	05/19/2006
Matrix			Soil	Soil	Soil	Soil
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	570	364	496	106
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND	ND

Our Lab I.D.			37449.02	37449.03	37449.04	37449.05
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		112	119	122	104

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page 5
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37449	05/12/2006	H&A

Analytes			Antimony	Arsenic	Lead	
Methods of Analyses			(6010BSCAN)	(6010BSCAN)	(6010BSCAN)	
Date Prepared			05/22/2006	05/22/2006	05/22/2006	
Date Analyzed			05/22/2006	05/22/2006	05/22/2006	
Matrix			Soil	Soil	Soil	
QC Batch Number			052206	052206	052206	
Units			mg/Kg	mg/Kg	mg/Kg	
Method Detection Limit			1.0	0.5	0.5	
Practical Quantitation Limit			5.0	5.0	5.0	
Dilution Factor			1	1	1	
Lab ID	**Sample ID**	**Sampled**	**Results**	**Results**	**Results**	
37449.01	DP0156B-SS-004-01	05/12/2006	29.9	10.7	476	
N/A	Method Blank	05/12/2006	ND	ND	ND	

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 6
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37449	05/12/2006	H&A

Method: (6010BSCAN), As, Sb,and Pb Metals by ICP

QUALITY CONTROL REPORT

QC Batch No: 052206 Sample Spiked: 37447.10 QC Prepared: 05/22/2006 QC Analyzed: 05/22/2006 Units: mg/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Antimony	ND	1.00	0.89	89	1.00	0.89	89	<1	80-120	<15
Arsenic	0.044	1.00	0.95	91	1.00	0.95	91	<1	80-120	<15
Lead	1.180	1.00	2.00	82	1.00	2.00	82	<1	80-120	<15

QC Batch No: 052206 Sample Spiked: 37447.10 QC Prepared: 05/22/2006 QC Analyzed: 05/22/2006 Units: mg/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Antimony	1.00	0.83	83	80-120						
Arsenic	1.00	0.96	96	80-120						
Lead	1.00	0.89	89	80-120						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 7
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37449	05/12/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 051906 Sample Spiked: 051906 QC Prepared: 05/19/2006 QC Analyzed: 05/19/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	415.00	83	500.00	405.00	81	2.4	75-125	<20

QC Batch No: 051906 Sample Spiked: 051906 QC Prepared: 05/19/2006 QC Analyzed: 05/19/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	400.00	80	75-125						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

RECEIVED
JUN 07 2006
Haley & Aldrich, Inc.

Ordered By

Haley & Aldrich
500 South Kraemer Blvd. Suite 370
Brea, CA 92821-6723

Telephone: (714) 985-3434
Attention: Tom Tatnall

Number of Pages 7
Date Received 05/25/2006
Date Reported 05/31/2006

Job Number	Order Date	Client
37568	05/25/2006	H&A

Project ID: 32486-006
Project Name: Delphi System Corp.
Site: 1201 N. Magnolia Avenue
Anaheim, CA 92801

Enclosed please find results of analyses of 1 water and 10 composite soil samples which were analyzed as specified on the attached chain of custody. If there are any questions, please do not hesitate to call.

Checked By: _____ Approved By:

Cyrus Razmara, Ph.D.
Laboratory Director

American Environmental Testing Laboratory Inc.
2834 North Naomi Street Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840

CHAIN OF CUSTODY RECORD

№ 38057

AETL JOB No. 37568

Page 1 of 1

COMPANY: Haley + Aldrich
PHONE: 714-985-3434
PROJECT MANAGER: Tom Tatnall
FAX:
PROJECT NAME: Delphi
PROJECT #:
SITE NAME AND ADDRESS: 1201 N. Magnolia Ave Anaheim

	SAMPLE ID	LAB ID	DATE	TIME	MATRIX	CONTAINER NUMBER/SIZE	PRES.	EPA 8082 PCB's	Hold	TEST INSTRUCTIONS & COMMENTS
	CS0241-CC-	000-01	5-25-06	1300	Concrete	1"x8" Core	—	X		37568.01
2	CS0242-CC-	000-01		1310				X		37568.02
3	CS0243-CC-	000-01		1313				X		37568.03
4	CS0244-CC-	000-01		1318				[illegible]	X	37568.04
5	CS0245-CC-	000-01		1320				[illegible]	X	37568.05
6	CS0246-CC-	000-01		1325				X		37568.06
7	CS0247-CC-	000-01		1328				X		37568.07
8	CS0248-CC-	000-01		1333				X		37568.08
9	CS0249-CC-	000-01		1336				X		37568.09
10	CS0250-CC-	000-01		1340				X		37568.10
11	CS0251-CC-	000-01		1425				X		37568.11
12	CS0252-CC-	000-01		1430				X		37568.12
13	EB-052506			1500	H_2O	(1) 1l Amber		X		37568.13
14										
15										

SAMPLE RECEIPT - TO BE FILLED BY LABORATORY

TOTAL NUMBER OF CONTAINERS	13	PROPERLY COOLED (Y) N / NA	
CUSTODY SEALS Y / N (NA)		SAMPLES INTACT (Y) N / NA	
RECEIVED IN GOOD COND. (Y) N		SAMPLES ACCEPTED (Y) N	

TURN AROUND TIME

☐ NORMAL ☒ RUSH ☐ SAME DAY ☐ 24 HRS. ☐ 48 HRS. ☒ 72 HRS.

RELINQUISHED BY SAMPLER: 1.	RELINQUISHED BY: 2.	RELINQUISHED BY: 3.
Signature: Glenn Androsko	Signature:	Signature: [illegible]
Printed Name: Glenn Androsko	Printed Name:	Printed Name: C. [illegible]
Date: 5-25-06 Time: 1625	Date: Time:	Date: 5/25/06 Time: 1755

RECEIVED BY: 1.	RECEIVED BY: 2.	RECEIVED BY LABORATORY: 3.
Signature: [illegible]	Signature:	Signature: [illegible]
Printed Name: CHARLISON PORTILLO	Printed Name:	Printed Name: [illegible]
Date: 5/25/06 Time: 1625	Date: Time:	Date: 05/25/06 Time: 17:55

DISTRIBUTION: WHITE - Laboratory, CANARY - Laboratory, PINK - Project/Account Manager, YELLOW - Sampler/Originator

TABLE
Summary of Aqueous Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: 8082

Sample ID	Units	EB-052506
Sample Date		5/25/2006
Laboratory Job Number		37568
Aroclor-1016 (PCB-1016)	ug/L	ND<1.0
Aroclor-1221 (PCB-1221)	ug/L	ND<2.0
Aroclor-1232 (PCB-1232)	ug/L	ND<1.0
Aroclor-1242 (PCB-1242)	ug/L	ND<1.0
Aroclor-1248 (PCB-1248)	ug/L	ND<1.0
Aroclor-1254 (PCB-1254)	ug/L	ND<1.0
Aroclor-1260 (PCB-1260)	ug/L	ND<1.0
Aroclor-1262 (PCB-1262)	ug/L	ND<1.0
Aroclor-1268 (PCB-1268)	ug/L	ND<1.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: AQ_8082.xls

TABLE
Summary of Solid Waste Analytical Results for Polychlorinated Biphenyls (PCBs) by GC
1201 N. Magnolia Avenue Anaheim, CA 92801

Polychlorinated Biphenyls (PCBs) by GC. Method: (8082)

Sample ID	Units	CS0241-CC-000-01	CS0242-CC-000-01	CS0243-CC-000-01	CS0246-CC-000-01	CS0247-CC-000-01	CS0248-CC-000-01	CS0249-CC-000-01	CS0250-CC-000-01	CS0251-CC-000-01	CS0252-CC-000-01
Sample Date		5/25/2006	5/25/2006	5/25/2006	5/25/2006	5/25/2006	5/25/2006	5/25/2006	5/25/2006	5/25/2006	5/25/2006
Laboratory Job Number		37568	37568	37568	37568	37568	37568	37568	37568	37568	37568
Aroclor-1016 (PCB-1016)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1221 (PCB-1221)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1232 (PCB-1232)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1242 (PCB-1242)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1248 (PCB-1248)	ug/Kg	**1,420**	**902**	**1,190**	ND<25.0	**237**	ND<25.0	**91.2**	**58.1**	ND<25.0	**124**
Aroclor-1254 (PCB-1254)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1260 (PCB-1260)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1262 (PCB-1262)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Aroclor-1268 (PCB-1268)	ug/Kg	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0	ND<25.0

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.
2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

File: SW_8082.xls

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 2
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37568	05/25/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 052606

Our Lab I.D.			Method Blank	37568.01	37568.02	37568.03	37568.06
Client Sample I.D.				CS0241-CC-000-01	CS0242-CC-000-01	CS0243-CC-000-01	CS0246-CC-000-01
Date Sampled				05/25/2006	05/25/2006	05/25/2006	05/25/2006
Date Prepared			05/26/2006	05/26/2006	05/26/2006	05/26/2006	05/26/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			05/26/2006	05/26/2006	05/26/2006	05/26/2006	05/26/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	ND	1,420	902	1,190	ND
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND	ND	ND

Our Lab I.D.				37568.01	37568.02	37568.03	37568.06
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		106	91	87	77	84

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 3
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37568	05/25/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 052606

Our Lab I.D.			37568.07	37568.08	37568.09	37568.10	37568.11
Client Sample I.D.			CS0247-CC-000-01	CS0248-CC-000-01	CS0249-CC-000-01	CS0250-CC-000-01	CS0251-CC-000-01
Date Sampled			05/25/2006	05/25/2006	05/25/2006	05/25/2006	05/25/2006
Date Prepared			05/26/2006	05/26/2006	05/26/2006	05/26/2006	05/26/2006
Preparation Method			3550B	3550B	3550B	3550B	3550B
Date Analyzed			05/26/2006	05/26/2006	05/26/2006	05/26/2006	05/26/2006
Matrix			Solid Waste	Solid Waste	Solid Waste	Solid Waste	Solid Waste
Units			ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Dilution Factor			1	1	1	1	1
Analytes	**MDL**	**PQL**	**Results**	**Results**	**Results**	**Results**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	237	ND	91.2	58.1	ND
Aroclor-1254 (PCB-1254)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND	ND	ND	ND	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND	ND	ND	ND	ND

Our Lab I.D.			37568.07	37568.08	37568.09	37568.10	37568.11
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**	**% Rec.**
Tetrachloro-m-xylene	30-150		86	81	99	82	87

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: **4**
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37568	05/25/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 052606

Our Lab I.D.			**37568.12**
Client Sample I.D.			CS0252-CC-000-01
Date Sampled			05/25/2006
Date Prepared			05/26/2006
Preparation Method			3550B
Date Analyzed			05/26/2006
Matrix			Solid Waste
Units			ug/Kg
Dilution Factor			1
Analytes	**MDL**	**PQL**	**Results**
Aroclor-1016 (PCB-1016)	25.0	50.0	ND
Aroclor-1221 (PCB-1221)	25.0	50.0	ND
Aroclor-1232 (PCB-1232)	25.0	50.0	ND
Aroclor-1242 (PCB-1242)	25.0	50.0	ND
Aroclor-1248 (PCB-1248)	25.0	50.0	124
Aroclor-1254 (PCB-1254)	25.0	50.0	ND
Aroclor-1260 (PCB-1260)	25.0	50.0	ND
Aroclor-1262 (PCB-1262)	25.0	50.0	ND
Aroclor-1268 (PCB-1268)	25.0	50.0	ND

Our Lab I.D.		**37568.12**
Surrogates	**%Rec.Limit**	**% Rec.**
Tetrachloro-m-xylene	30-150	86

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 5
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37568	05/25/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QC Batch No: 052606

Our Lab I.D.			Method Blank	**37568.13**			
Client Sample I.D.				EB-052506			
Date Sampled				05/25/2006			
Date Prepared			05/26/2006	05/26/2006			
Preparation Method			3510C	3510C			
Date Analyzed			05/31/2006	05/31/2006			
Matrix			Aqueous	Aqueous			
Units			ug/L	ug/L			
Dilution Factor			1	1			
Analytes	**MDL**	**PQL**	**Results**	**Results**			
Aroclor-1016 (PCB-1016)	1.0	5.0	ND	ND			
Aroclor-1221 (PCB-1221)	2.0	10.0	ND	ND			
Aroclor-1232 (PCB-1232)	1.0	5.0	ND	ND			
Aroclor-1242 (PCB-1242)	1.0	5.0	ND	ND			
Aroclor-1248 (PCB-1248)	1.0	5.0	ND	ND			
Aroclor-1254 (PCB-1254)	1.0	5.0	ND	ND			
Aroclor-1260 (PCB-1260)	1.0	5.0	ND	ND			
Aroclor-1262 (PCB-1262)	1.0	5.0	ND	ND			
Aroclor-1268 (PCB-1268)	1.0	5.0	ND	ND			

Our Lab I.D.				**37568.13**			
Surrogates	**%Rec.Limit**		**% Rec.**	**% Rec.**			
Tetrachloro-m-xylene	30-150		70	108			

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 6
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37568	05/25/2006	H&A

Method: 8082, Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 052606 Sample Spiked: 052606 QC Prepared: 05/26/2006 QC Analyzed: 05/31/2006 Units: ug/L

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	2.50	2.08	83	2.50	2.18	87	4.7	75-125	<20

QC Batch No: 052606 Sample Spiked: 052606 QC Prepared: 05/26/2006 QC Analyzed: 05/31/2006 Units: ug/L

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	2.50	1.98	79	75-125						

American Environmental Testing Laboratory Inc.

2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

ANALYTICAL RESULTS

Ordered By

Haley & Aldrich
500 South Kraemer Blvd.
Suite 370
Brea, CA 92821-6723

Telephone: (714)985-3434
Attn: Tom Tatnall

Site

1201 N. Magnolia Avenue
Anaheim, CA 92801

Page: 7
Project ID: 32486-006
Project Name: Delphi System Corp.

AETL Job Number	Submitted	Client
37568	05/25/2006	H&A

Method: (8082), Polychlorinated Biphenyls (PCBs) by GC

QUALITY CONTROL REPORT

QC Batch No: 052606 Sample Spiked: 052606 QC Prepared: 05/26/2006 QC Analyzed: 05/26/2006 Units: ug/Kg

Analytes	Sample Result	MS Concen	MS Recov	MS % REC	MS DUP Concen	MS DUP Recov	MS DUP % REC	RPD %	MS/MSD % Limit	MS RPD % Limit
Aroclor-1260 (PCB-1260)	0.0	500.00	450.00	90	500.00	460.00	92	2.2	50-150	<50

QC Batch No: 052606 Sample Spiked: 052606 QC Prepared: 05/26/2006 QC Analyzed: 05/26/2006 Units: ug/Kg

Analytes	LCS Concen	LCS Recov	LCS % REC	LCS/LCSD % Limit						
Aroclor-1260 (PCB-1260)	500.00	475.00	95	50-150						

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

Data Qualifier:

*:	In the QC section, sample results have been taken directly from the ICP reading. No preparation factor has been applied.
B:	Analyte was present in the Method Blank.
D:	Result is from a diluted analysis.
E:	Result is beyond calibration limits and is estimated.
H:	Analysis was performed over the allowed holding time due to circumstances which were beyond laboratory control.
J:	Analyte was detected . However, the analyte concentration is an estimated value, which is between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL).
M:	Matrix spike recovery is outside control limits due to matrix interference. Laboratory Control Sample recovery was acceptable.
S6:	Surrogate recovery is outside control limits due to matrix interference.
S8:	The analysis of the sample required a dilution such that the surrogate concentration was diluted below the method acceptance criteria.
X:	Results represent LCS and LCSD data.

Definition:

%Limi:	Percent acceptable limits.
%REC:	Percent recovery.
Con.L:	Acceptable Control Limits
Conce:	Added concentration to the sample.
LCS:	Laboratory Control Sample
MDL:	Method Detection Limit is a statistically derived number which is specific for each instrument, each method, and each compound. It indicates a distinctively detectable quantity with 99% probability.
MS:	Matrix Spike
MS DU:	Matrix Spike Duplicate

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

Data Qualifiers and Descriptors

ND: Analyte was not detected in the sample at or above MDL.

PQL: Practical Quantitation Limit or ML (Minimum Level as per RWQCB) is the minimum concentration that can be quantified with more than 99% confidence. Taking into account all aspects of the entire analytical instrumentation and practice.

Recov: Recovered concentration in the sample.

RPD: Relative Percent Difference