



**Matthew Rodriguez**  
Secretary for  
Environmental Protection



## Department of Toxic Substances Control

Barbara A. Lee, Director  
8800 Cal Center Drive  
Sacramento, California 95826-3200



**Edmund G. Brown Jr.**  
Governor

October 22, 2018

Betty Fisher  
EH & S Manager  
Kaiser Permanente 1725  
EastShore Hwy  
Berkeley, California 94710

### EMERGENCY PERMIT FOR TREATMENT OF HAZARDOUS WASTE, KAISER PERMANENTE, ALAMEDA COUNTY, EPA ID: CAD983605932

Kaiser Permanente (Kaiser) has requested an emergency permit from the Department of Toxic Substances Control (DTSC) to allow Clean Harbors Environmental Services (CHES) to treat hazardous waste by controlled reaction with a chemical solution. The hazardous wastes to be treated consist of the following items:

Description	Total Container Quantity	Hazard Designation	Container Quantities / Sizes
Ethyl Ether	1	Peroxide Former	1x4 Liter
Tetrahydrofuran	2	Peroxide Former	2x1 Liter

These chemicals are expired and currently being stored in the Kaiser located at 1725 EastShore Hwy Berkeley, California. They have been determined that these chemicals may be unstable and should be chemically stabilized prior to transportation off site by CHES. The treatment of the chemicals involves the controlled addition of a solution to the containers to reduce the reactive or ignitable characteristics of the chemicals.

Once the chemicals are treated, they will be transported off site to a hazardous waste facility. CHES personnel are tentatively scheduled to arrive at the facility between October 23, 2018 and January 20, 2019 to conduct the treatment operation in an exclusion zone located outside the building (see Section 7.0 of the Permit Application).

Based on the authority in California Code of Regulations, Title 22 (22 CCR), Division 4.5, Section 66270.61, DTSC finds there to be imminent and substantial endangerment to human health and the environment, and by way of this letter, issues this emergency permit to Kaiser. The emergency permit is a temporary measure, which allows Kaiser to have CHES personnel treat the chemicals, so they can be safely transported off site for proper management.

This permit is not transferable to any other party and may not be used in any other capacity or for any other activity. This permit may be revoked by DTSC at any time without process if it is determined that termination is appropriate to protect human health and the environment.

The emergency permit is effective beginning October 23, 2018 and shall expire on January 20, 2019. The treatment activities will be conducted by qualified Reactive Materials Technicians from CHES.

The following requirements are specific conditions of this permit. Failure to comply with any of the following conditions may cause an immediate revocation of this permit pursuant to 22 CCR, section 66270.61 (b)(4), and could subject Kaiser to enforcement action.

1. The treatment of the items mentioned above must be conducted by qualified personnel from CHES and shall take place within the designated exclusion zone as illustrated in the workplan submitted to DTSC by CHES on October 09, 2018. Only CHES Reactive Material Technicians with proper health and safety equipment and attire shall be allowed within 50 feet of the items during the treatment and during the movement of the items from the storage location to the exclusion zone.
2. Kaiser must have a predetermined route from the storage location to the exclusion zone that allows for unobstructed movement for CHES Reactive Material Technicians. Building Management and occupants must be notified of the treatment activity and any occupants must be moved as needed to meet the requirements of permit condition #1.
3. All items to be treated must be appropriately labeled and marked before CHES personnel arrive to the facility.
4. Kaiser must notify the Certified Unified Public Agency (CUPA) and local Fire Department that this emergency permit has been issued by DTSC by the effective date.
5. In the event that Kaiser identifies any releases of hazardous waste, Kaiser must notify DTSC's Permitting Division orally within 24 hours of discovery.
6. The area must be inspected after treatment to ensure that there is no release of hazardous waste from the area. Any untreated waste must be immediately retreated or removed.
7. Kaiser must allow inspection of records and of the facility by any duly-authorized representative, of DTSC, in order to carry out the requirements of Chapter 6.5, Division 20 of the California Health and Safety Code.
8. Only the items listed in the table above may be treated. Additional quantity or type of hazardous waste may be treated if they follow the same treatment procedures listed in the October 09, 2018 workplan submitted to DTSC by CHES. Kaiser must notify and request authorization from DTSC for any

additional items that are discovered and that require a treatment process not described in the workplan.

9. The issuance of this Permit by DTSC does not release Kaiser from any liability or duty imposed by federal or state statutes or regulations, or local ordinances. Kaiser must obtain permits required by other governmental agencies, including but not limited to, the applicable land use planning, zoning, air quality, and water quality laws for the treatment operations.
10. Within 10 business days following the expiration of this permit, Kaiser must submit a report signed, in accordance with 22 CCR, section 66270.11 (d) to DTSC and the overseeing Certified Unified Program Agency (CUPA). The report must contain following certification statement, "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

The report must state whether the treatment area has been cleared of all residual hazardous waste generated from this emergency treatment, and if all waste has been properly managed. The report must also contain a list of all the hazardous waste that was treated by CHES and a description of any deviations from the established guidelines of this emergency permit, or information submitted to DTSC.

This emergency permit is effective beginning October 23, 2018 and shall expire on January 20, 2019.

If you have any questions, please contact me at (916) 255-6522 or [hkang@dtsc.ca.gov](mailto:hkang@dtsc.ca.gov)

Sincerely,



Hai-Yong Kang  
Hazardous Substance Engineer  
Permitting Division  
Hazardous Waste Management Program

cc:

Maria Soria (via email)  
Environmental Program Manager I (Sup)  
Department of Toxic Substances Control  
Hazardous Waste Management Program  
Berkeley Enforcement & State Oversight Branch  
[Maria.Soria@dtsc.ca.gov](mailto:Maria.Soria@dtsc.ca.gov)

Diana Peebler (via email)  
Sr. Environmental Scientist (Sup)  
Department of Toxic Substances Control  
Hazardous Waste Management Program  
Berkeley Enforcement & State Oversight Branch  
[Diana.Peebler@dtsc.ca.gov](mailto:Diana.Peebler@dtsc.ca.gov)