



Jared Blumenfeld
Secretary for
Environmental Protection



Department of Toxic Substances Control

Meredith Williams, Ph.D.
Acting Director
8800 Cal Center Drive
Sacramento, California 95826-3200



Gavin Newsom
Governor

April 22, 2019

Gillian Heslinga
Allergan Inc
2525 Dupont Drive
Irvine, California 92612

Certified mail number 7017 3040 0000 4252 7983

EMERGENCY PERMIT FOR TREATMENT OF HAZARDOUS WASTE, ALLERGAN INC, ORANGE COUNTY, EPA ID: CAD038048286

Allergan Inc (AGN) has requested an emergency permit from the Department of Toxic Substances Control (DTSC) to allow Clean Harbors Environmental Services (CHES) to treat hazardous waste by controlled reaction with a chemical solution. The hazardous waste to be treated consists of the following items:

Description	Total Container Quantity	Hazard Designation	Container Quantities/Sizes
Tert-Butyl Methyl Ether	2	Peroxide forming material	2X250 milliliter
Propylene Glycol Ethyl Ether	1	Peroxide forming material	1X1 liter
1,4 Dioxane	3	Peroxide forming material	1X3 liter

These hazardous waste items are expired and currently being stored at the AGN's waste storage area located at 2525 Dupont Drive in Irvine, California. It has been determined that they may be unstable and should be chemically stabilized prior to transportation off site by CHES. The treatment of the chemicals involves the controlled addition of a solution to the containers to reduce the reactive or ignitable characteristics of the chemicals.

Once they are treated, they will be transported off site to a hazardous waste facility. CHES personnel are tentatively scheduled to arrive at the facility between April 23, 2019 and June 21, 2019 to conduct the treatment operation in an exclusion zone located outside the building (see Section 7.0 of the Permit Application).

Based on the authority in California Code of Regulations, Title 22 (22 CCR), Division 4.5, Section 66270.61, DTSC finds there to be imminent and substantial endangerment to human health and the environment, and by way of this letter, issues this emergency permit to AGN. The emergency permit is a temporary measure, which allows AGN to have CHES personnel treat the chemicals, so they can be safely transported off site for proper management.

This permit is not transferable to any other party and may not be used in any other capacity or for any other activity. This permit may be revoked by DTSC at any time without process if it is determined that termination is appropriate to protect human health and the environment.

The emergency permit is effective beginning April 23, 2019 and shall expire on June 21, 2019. The treatment activities will be conducted by qualified Reactive Materials Technicians from CHES.

The following requirements are specific conditions of this permit. Failure to comply with any of the following conditions may cause an immediate revocation of this permit pursuant to 22 CCR, section 66270.61(b)(4), and could subject AGN to enforcement action.

1. The treatment of the items mentioned above must be conducted by qualified personnel from CHES and shall take place within the designated exclusion zone as illustrated in the workplan submitted to DTSC by CHES on April 9, 2019. Only CHES Reactive Material Technicians with proper health and safety equipment and attire shall be allowed within 50 feet of the items during the treatment and during the movement of the items from the storage location to the exclusion zone.
2. AGN must have a predetermined route from the storage location to the exclusion zone that allows for unobstructed movement for CHES Reactive Material Technicians. Building Management and occupants must be notified of the treatment activity and any occupants must be moved as needed to meet the requirements of permit condition #1.
3. All items to be treated must be appropriately labeled and marked before CHES personnel arrive to the facility.
4. AGN must notify the Certified Unified Public Agency (CUPA) and local Fire Department that this emergency permit has been issued by DTSC by the effective date.
5. In the event that AGN identifies any releases of hazardous waste, AGN must notify DTSC's Permitting Division orally within 24 hours of discovery.
6. The area must be inspected after treatment to ensure that there is no release of hazardous waste from the area. Any untreated waste must be immediately retreated or removed.
7. AGN must allow inspection of records and of the facility by any duly authorized representative of DTSC, in order to carry out the requirements of Chapter 6.5, Division 20 of the California Health and Safety Code.
8. Only the items listed in the table above may be treated. Additional quantity or type of hazardous waste may be treated if they follow the same treatment procedures listed in the April 9, 2019 workplan submitted to DTSC by CHES. AGN must notify and request authorization from DTSC for any additional items that are discovered and that require a treatment process not described in the workplan.
9. The issuance of this Permit by DTSC does not release AGN from any liability or duty imposed by federal or state statutes or regulations, or local ordinances. AGN must obtain permits required by other governmental agencies, including but not limited to, the

applicable land use planning, zoning, air quality, and water quality laws for the treatment operations.

10. Within 10 business days following the expiration of this permit, AGN must submit a report signed, in accordance with 22 CCR, section 66270.11(d) to DTSC and the overseeing Certified Unified Program Agency (CUPA). The report must contain following certification statement, "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

The report must state whether the treatment area has been cleared of all residual hazardous waste generated from this emergency treatment, and if all waste has been properly managed. The report must also contain a list of all the hazardous waste that was treated by CHES and a description of any deviations from the established guidelines of this emergency permit, or information submitted to DTSC.

This emergency permit is effective beginning April 23, 2019 and shall expire on June 21, 2019.

If you have any questions, please contact me at (916) 255-3615 or Lung-Yin.Tai@dtsc.ca.gov.

Sincerely,



Lung-Yin Tai
Hazardous Substance Engineer
Permitting Division
Hazardous Waste Management Program

cc:
Evelina Rayas (via email)
Environmental Program Manager I (Sup)
Department of Toxic Substances Control
Hazardous Waste Management Program
Chatsworth Enforcement Branch
Evelina.Rayas@dtsc.ca.gov

Diana Peebler (via email)
Sr. Environmental Scientist (Sup)
Department of Toxic Substances Control
Hazardous Waste Management Program
Berkeley Enforcement & State Oversight Branch
Diana.Peebler@dtsc.ca.gov