



Jared Blumenfeld
Secretary for
Environmental Protection



Department of Toxic Substances Control



Gavin Newsom
Governor

Meredith Williams, Ph.D.
Acting Director
1001 "I" Street
P.O. Box 806
Sacramento, California 95812-0806

September 27, 2019

Certified Mail No.: 7018-0680-0000-9827-9485

Mr. Bradley Rogers
Chevron Chemical Company
940 Hensley Street
Richmond, California 94801

NOTICE OF PROVISIONAL INSPECTION VIOLATION SCORES, 2019 FACILITY VIOLATION SCORING PROCEDURE SCORE, AND 2019 COMPLIANCE TIER ASSIGNMENT

Dear Mr. Bradley Rogers:

2019 Facility Violations Scoring Procedure (VSP) Score: 0
2019 Compliance Tier Assignment: Acceptable

The purpose of this letter is to provide Chevron Chemical CO, CAD043237486, located at 940 Hensley St., Richmond, CA 94801 (hereinafter, the "Facility") with a provisional inspection violation score for each compliance inspection that was conducted during the preceding ten (10) year period beginning January 1, 2009, through December 31, 2018, the Facility's 2019 VSP Score, and compliance tier assignment pursuant to California Code of Regulations (CCR), title 22, section 66271.53, subdivision (b)(2) and section 66271.54, subdivisions (c).¹

The provisional inspection violation scores for the Facility are provided in the enclosed Inspection Violation Scoring Matrix. A provisional inspection violation score is the sum of the initial score for each Class I violation that occurred during a compliance inspection, and any adjustment to the initial Class I violation score based on repeat violations.² (See 22 CCR § 66271.53, subd. (a).) The basis for the score for each Class I violation is also provided in the enclosed Inspection Violation Scoring Matrix.

¹ Pursuant to Senate Bill (SB) 673 (Stats. 2015, chapter 611), the Department of Toxic Substances Control (DTSC) adopted new hazardous waste permitting criteria regulations, which became effective on January 1, 2019. The full text of the hazardous waste permitting criteria regulations is available at https://www.dtsc.ca.gov/LawsRegsPolicies/Regs/upload/18-DTSC-SB-673-Reg-TEXT_OAL_20181023-revised.pdf. More information regarding SB 673 is available at https://www.dtsc.ca.gov/HazardousWaste/Permit_Roundtables.cfm.

² For purposes of calculating a facility's inspection violation score, DTSC may also consider Class II violations that meet the definition of a Class I violation as specified in CCR, title 22, section 66260.10. (See 22 CCR § 66271.50, subd. (d)(1).)

Based on the provisional inspection violation scores for the Facility for the ten (10) year period beginning January 1, 2009, through December 31, 2018, DTSC has calculated a Facility VSP Score for the Facility of "0". A Facility VSP Score is the sum of all provisional or final inspection violation scores for each compliance inspection conducted during the preceding ten (10) years, divided by the number of compliance inspections. (See 22 CCR § 66271.54, subd. (a).)

A facility may be assigned to one of three compliance tiers based on its Facility VSP Score:

- "Acceptable." A facility that receives a Facility VSP Score of less than 20 shall be designated as having a Facility VSP Score that is "acceptable". (See 22 CCR § 66271.54, subd. (b)(1).)
- "Conditionally Acceptable." A facility that receives a Facility VSP Score equal to or greater than 20 and less than 40 shall be designated as having a Facility VSP Score that is "conditionally acceptable." Facilities that receive a final compliance tier assignment of "conditionally acceptable" are required to comply with additional requirements outlined in the regulations. (See 22 CCR § 66271.54, subd. (b)(2); 22 CCR § 66271.56.)
- "Unacceptable." A facility that receives a Facility VSP Score equal to or greater than 40 shall be designated as having a Facility VSP Score that is "unacceptable." DTSC is required to initiate permit denial, suspension, or revocation proceedings for facilities that receive a final compliance tier assignment of "unacceptable." (See 22 CCR § 66271.54, subd. (b)(3); 22 CCR § 66271.57.)

As a result of the Facility's VSP Score, DTSC has assigned the Facility to a compliance tier of "**Acceptable**". Generally, as discussed further below, a facility's compliance tier assignment becomes final after all provisional inspection violation scores upon which the Facility VSP Score is based become final pursuant to CCR, title 22, section 66271.53, subdivision (d).

Provisional Inspection Violation Score Disputes and Compliance Tier Assignment Challenges

An owner or operator of a facility may dispute a provisional inspection score pursuant to CCR, title 22, section 66271.53, subdivision (c) by filing a Provisional Inspection Violation Score Dispute Document (template available at <https://dtsc.ca.gov/violations-scoring-procedure/>) within sixty (60) calendar days of this notice. All of the following information must be enclosed with the Dispute Document cover letter:

- A statement that describes in detail the factual and legal basis of the dispute and the relief sought;
- Any claimed erroneous facts, assumptions, approaches, or conclusions of law made by DTSC;

- A statement describing in detail any efforts already made by the owner or operator to resolve the dispute with DTSC; and
- Any photographs, documents, or any other material that supports the owner's or operator's position regarding the disputed provisional inspection violation score.

The owner or operator of a facility may request a one-time extension of up to sixty (60) calendar days to submit a Provisional Inspection Violation Score Dispute Extension Document (template available at <https://dtsc.ca.gov/violations-scoring-procedure/>).

DTSC will issue a written decision, granting or denying, in whole or in part, the relief sought by the owner or operator of a facility disputing a provisional inspection violation score. A provisional inspection violation score will become the final inspection violation score consistent with DTSC's written decision. A provisional inspection violation score will also become the final inspection violation score if the owner or operator of a facility does not file a Dispute Document within sixty (60) calendar days of this notice.

A facility's compliance tier assignment becomes final after all inspection violation scores upon which the Facility VSP Score is based become final pursuant to CCR, title 22, section 66271.53, subdivision (d). Final compliance tier assignments of "acceptable" or "conditionally acceptable" are not subject to additional administrative dispute resolution. (See 22 CCR § 66271.54, subds. (e), (f).) However, owners or operators of facilities assigned to a final compliance tier of "unacceptable" may further administratively challenge their final compliance tier assignment under California Code of Regulations, title 22, section 66271.57.

Issuance of this provisional inspection violation score, Facility 2019 VSP Score, and compliance tier assignment do not constitute an enforcement action. If you have any questions regarding this notice, please contact VSP_Info@dtsc.ca.gov. If you have any questions regarding the dispute process, please contact VSP_Dispute_Inbox@dtsc.ca.gov.

Sincerely,



Keith Kihara, Chief
Enforcement and Emergency Response Division

Enclosure(s)

Violation Scoring Matrix
Proof of Service

Violation Scoring Matrix

Facility Name:	CHEVRON CHEMICAL CO			10 Year Date Range:	2009-2018			Permit Effective Date:	7/23/2010			Link to EnviroStor (Inspection Reports, SOVs, etc.)	
Address:	940 HENSLEY STREET, RICHMOND, CA 94801			Number of Inspections:	5			Permit Expiration Date:	7/23/2020				
EPA ID:	CAD043237486			Total Number of Violations Scored:	0			Date VSP Completed:	7/12/2019				
Inspection Date:	6/30/2011 CEI & 8/30/2011 FRR	Class I Justification	Citation	Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification	Initial Score	Repeat (Yes/No)	Date(s) of Previous Violation	Adjustment Factor (%)	Adjusted Score
Inspection Type:	CEI & FRR												
Class I Violations:	0	n/a	n/a	No Class I Violations	n/a	n/a	n/a	n/a	0	n/a	n/a	n/a	0.00
Provisional Inspection Violation Score:													0.00
Inspection Date:	8/21/2013 CEI & 10/4/2013 FRR	Class I Justification	Citation	Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification	Initial Score	Repeat (Yes/No)	Date(s) of Previous Violation	Adjustment Factor (%)	Adjusted Score
Inspection Type:	CEI & FRR												
Class I Violations:	0	n/a	n/a	No Class I Violations	n/a	n/a	n/a	n/a	0	n/a	n/a	n/a	0.00
Provisional Inspection Violation Score:													0.00
Inspection Date:	1/27/2016	Class I Justification	Citation	Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification	Initial Score	Repeat (Yes/No)	Date(s) of Previous Violation	Adjustment Factor (%)	Adjusted Score
Inspection Type:	FCI												
Class I Violations:	0	n/a	n/a	No Class I Violations	n/a	n/a	n/a	n/a	0	n/a	n/a	n/a	0.00
Provisional Inspection Violation Score:													0.00
Inspection Date:	11/2/2016 CEI &	Class I Justification	Citation	Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification	Initial Score	Repeat (Yes/No)	Date(s) of Previous Violation	Adjustment Factor (%)	Adjusted Score
Inspection Type:	CEI & FRR												
Class I Violations:	0	n/a	n/a	No Class I Violations	n/a	n/a	n/a	n/a	0	n/a	n/a	n/a	0.00
Provisional Inspection Violation Score:													0.00
Inspection Date:	10/2/2018 CEI &	Class I Justification	Citation	Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification	Initial Score	Repeat (Yes/No)	Date(s) of Previous Violation	Adjustment Factor (%)	Adjusted Score
Inspection Type:	CEI & FRR												
Class I Violations:	0	n/a	n/a	No Class I Violations	n/a	n/a	n/a	n/a	0	n/a	n/a	n/a	0.00
Provisional Inspection Violation Score:													0.00

FACILITY VIOLATIONS SCORING PROCEDURE SCORE				
Inspection Number	Number of Violations Scored	Inspection Type(s)	Inspection Date(s)	Provisional Inspection Violation Score
1	0	CEI & FRR	6/30/2011 CEI & 8/30/2011 FRR	0.00
2	0	CEI & FRR	8/21/2013 CEI & 10/4/2013 FRR	0.00
3	0	FCI	1/27/2016	0.00
4	0	CEI & FRR	11/2/2016 CEI & 12/19/2016 FRR	0.00
5	0	CEI & FRR	10/2/2018 CEI & 11/8/2018 FRR	0.00
Sum of Provisional Inspection Violation Scores				0.00
*FACILITY VSP SCORE				0.00

*FACILITY VSP SCORE = Sum of Provisional Inspection Violation Scores/Total Number of Inspections conducted in 10 year (calendar) timeframe

- | | |
|---|---|
| CCR = California Code of Regulations | GAR = Groundwater Audit Report |
| CDI = Case Development Inspection | GME = Groundwater Monitoring Evaluation |
| CEI = Compliance Evaluation Inspection | HSC = Health and Safety Code |
| CI = Complaint Investigation | HW = Hazardous Waste |
| DTSC = Department of Toxic Substances Control | HWFP = Hazardous Waste Facility Permit |
| EPA ID = Environmental Protection Agency Identification | n/a = Not Applicable |
| FCI = Focused Compliance Inspection | NFRR = Non-Financial Record Review |
| FRR = Financial Records Review | RCRA = Resource Conservation and Recovery Act |
| FSD = Facility Self Disclosure | SOV = Summary of Violations |
| FUI = Follow-Up Inspection | VSP = Violation Scoring Procedure |

PROOF OF SERVICE

1. I served the NOTICE OF PROVISIONAL INSPECTION VIOLATION SCORES, 2019 FACILITY VIOLATION SCORING PROCEDURE SCORE, AND 2019 COMPLIANCE TIER ASSIGNMENT on Bradley Rogers, Chevron Chemical Company, EPA ID Number CAD043237486.
2. I served Bradley Rogers, Chevron Chemical Company, by mailing a copy of the aforementioned document via Certified Mail, Receipt No. 7018-0680-0000-9827-9485, return receipt requested, in a sealed envelope addressed to:

Mr. Bradley Rogers
Chevron Chemical Company
940 Hensley Street
Richmond, California 94801

3. My name, business address, and telephone number are:

Alan Korematsu
Department of Toxic Substances Control
HWMP, 11th Floor
1001 I Street
Sacramento, CA 95812-0806
(916) 323-3706

I declare under penalty of perjury that the foregoing is true and correct and that this declaration of Proof of Service is executed on October 4, 2019 at Sacramento, California.



(Signature)