



**Jared Blumenfeld**  
Secretary for  
Environmental Protection



## Department of Toxic Substances Control

Meredith Williams, Ph.D.  
Acting Director  
8800 Cal Center Drive  
Sacramento, California 95826-3200



**Gavin Newsom**  
Governor

June 20, 2019

Mr. Joe Edwards  
Southern California Regional Manager  
World Oil Environmental Services  
1300 South Santa Fe Avenue  
Compton, CA 90221

### EMERGENCY PERMIT FOR TRANSFER OF HAZARDOUS WASTE, WORLD OIL ENVIRONMENTAL SERVICES, SANBERNARDINO COUNTY, EPA ID: CAD028277036

World Oil Environmental Services (WOES) has requested an emergency permit from the Department of Toxic Substances Control (DTSC) to transfer hazardous waste from a tanker truck into a Department of Transportation (DOT) approved truck and/or container. Once the hazardous waste is transferred, it will be transported offsite to an authorized hazardous waste facility. The hazardous waste to be transferred consists of approximately 1,450 gallons of contaminated waste water. When prescreening the waste at the designated facility, K Pure Waterworks located at 8910 Rochester Avenue, Rancho Cucamonga, CA 91730, the wash water was tested and found to have a flash point of less than 140°F. This classifies the waste as hazardous waste under California hazardous waste laws. K Pure Waterworks does not have a permit to manage hazardous waste and the tanker truck does not meet the specifications that would allow it to transport ignitable hazardous waste.

Based on the authority in Title 22, California Code of Regulations (22 CCR), Division 4.5, Section 66270.61, DTSC finds there to be imminent and substantial endangerment to human health and the environment, and by way of this letter, issues this emergency permit to WOES. This emergency permit is not transferable to any other party and may not be used in any other capacity or for any other activity. This permit may be revoked by DTSC at any time without process if it is determined that termination is appropriate to protect human health and the environment.

The following requirements are specific conditions of this permit. Failure to comply with any of the following conditions may cause an immediate revocation of this permit pursuant to 22 CCR, section 66270.61(b)(4), and could subject WOES to enforcement action.

1. Transfer must be conducted, in accordance with all safety protocols established for such activity and according to the procedures contained in the June 14, 2019 emergency permit request.

Mr. Joe Edwards

June 20, 2019

Page 2 of 3


2. WOES must notify the Certified Unified Public Agency (CUPA) and local Fire Department that this emergency permit has been issued by DTSC by the effective date.
3. Deploy portable secondary containment for liquids in the area under the hose and couplings if secondary containment does not exist in place.
4. If it is necessary to perform the bulk transfer within 100 feet upgradient of a storm drain, drainage ditch or body of water, lay out diking material so as to block flow of liquid waste to the storm drain, drainage ditch or a body of water, in the event of a major leak that is not captured by the portable secondary containment.
5. Presume that any and all waste resulting from decontamination processes is hazardous waste and collect, contain, and transport to an appropriate facility accordingly.
6. The area must be inspected after the transfer to ensure that there is no release of hazardous waste from the area. Any released waste must be immediately disposed of properly.
7. In the event that WOES identifies any releases of hazardous waste, WOES must notify DTSC's Permitting Division orally within 24 hours of discovery.
8. WOES must allow inspection of records and of the facility by any duty-authorized representative of DTSC, in order to carry out the requirements of Chapter 6.5, Division 20 of the California Health and Safety Code.
9. The issuance of this Permit by DTSC does not release WOES from any liability or duty imposed by federal or state statutes or regulations, or local ordinances. WOES must obtain permits required by other governmental agencies, including but not limited to, the applicable land use planning, zoning, air quality, and water quality laws for the transfer operations.
10. Within 10 business days following the expiration of this permit or the execution of the transfer operation in whichever is shorter, WOES must submit a report signed, in accordance with Title 22 CCR, section 66270.11(d) to DTSC and the overseeing Certified Unified Program Agency (CUPA). The report must contain following certification statement, "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Mr. Joe Edwards  
June 20, 2019  
Page 3 of 3

This emergency permit is effective beginning June 21, 2019 and shall expire on July 5, 2019.

If you have any questions, please contact me at (916) 255-6559 or [parisa.khosraviani@dtsc.ca.gov](mailto:parisa.khosraviani@dtsc.ca.gov)

Sincerely,



Parisa Khosraviani  
Hazardous Substance Engineer  
Permitting Division  
Hazardous Waste Management Program

cc: Evelina Rayas  
Branch Chief (Acting)  
Chatsworth Enforcement Branch  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
9211 Oakdale Avenue  
Chatsworth, California 91311  
[Evelina.Rayas@dtsc.ca.gov](mailto:Evelina.Rayas@dtsc.ca.gov)

Diana Peebler  
Sr. Environmental Scientist (Sup)  
Berkeley Enforcement & State Oversight Branch  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
700 Heinz Avenue, Suite 200  
Berkeley, California 94701  
[Diana.Peebler@dtsc.ca.gov](mailto:Diana.Peebler@dtsc.ca.gov)